This International Student Edition is for use outside of the U.S.

JULIA BURDGE

CHEMISTRY

Sixth Edition



McGraw Hill

Fundamental Constants

Avogadro's number (N_A)	6.0221418×10^{23}
Electron charge (e)	1.6022×10^{-19} C
Electron mass	9.109387×10^{-28} g
Faraday constant (F)	96,485.3 C/mol e^-
Gas constant (R)	0.08206 L · atm/K · mol
	8.314 J/K · mol
	62.36 L · torr/K · mol
	1.987 cal/K · mol
Planck's constant (h)	6.6256×10^{-34} J · s
Proton mass	1.672623×10^{-24} g
Neutron mass	1.674928×10^{-24} g
Speed of light in a vacuum	2.99792458×10^{8} m/s

Some Prefixes Used with SI Units

tera (T)	10^{12}	centi (c)	10^{-2}
giga (G)	10^{9}	milli (m)	10^{-3}
mega (M)	10^{6}	micro (μ)	10^{-6}
kilo (k)	10^{3}	nano (n)	10^{-9}
deci (d)	10^{-1}	pico (p)	10^{-12}

Useful Conversion Factors and Relationships

1 lb = 453.6 g
1 in = 2.54 cm (exactly)
1 mi = 1.609 km
1 km = 0.6215 mi
1 pm = 1×10^{-12} m = 1×10^{-10} cm
1 atm = 760 mmHg = 760 torr = 101,325 N/m^2 = 101,325 Pa
1 cal = 4.184 J (exactly)
1 L · atm = 101.325 J
1 J = 1 C × 1 V
$?°C = (°F - 32°F) \times \frac{5°C}{9°F}$
$?°F = \frac{9°F}{5°C} \times (°C) + 32°F$
$?K = (°C + 273.15°C)\left(\frac{1K}{1°C}\right)$

Periodic Table of the Elements

Key

Atomic number: 6; Symbol: C; Name: Carbon; Average atomic mass: 12.01

An element

Main group (1A–2A) · Transition metals (3B–2B) · Main group (3A–8A)

Period number	1A 1	2A 2	3B 3	4B 4	5B 5	6B 6	7B 7	8B 8	8B 9	8B 10	1B 11	2B 12	3A 13	4A 14	5A 15	6A 16	7A 17	8A 18	
1	1 H Hydrogen 1.008																	2 He Helium 4.003	1
2	3 Li Lithium 6.941	4 Be Beryllium 9.012											5 B Boron 10.81	6 C Carbon 12.01	7 N Nitrogen 14.01	8 O Oxygen 16.00	9 F Fluorine 19.00	10 Ne Neon 20.18	2
3	11 Na Sodium 22.99	12 Mg Magnesium 24.31											13 Al Aluminum 26.98	14 Si Silicon 28.09	15 P Phosphorus 30.97	16 S Sulfur 32.07	17 Cl Chlorine 35.45	18 Ar Argon 39.95	3
4	19 K Potassium 39.10	20 Ca Calcium 40.08	21 Sc Scandium 44.96	22 Ti Titanium 47.87	23 V Vanadium 50.94	24 Cr Chromium 52.00	25 Mn Manganese 54.94	26 Fe Iron 55.85	27 Co Cobalt 58.93	28 Ni Nickel 58.69	29 Cu Copper 63.55	30 Zn Zinc 65.41	31 Ga Gallium 69.72	32 Ge Germanium 72.64	33 As Arsenic 74.92	34 Se Selenium 78.96	35 Br Bromine 79.90	36 Kr Krypton 83.80	4
5	37 Rb Rubidium 85.47	38 Sr Strontium 87.62	39 Y Yttrium 88.91	40 Zr Zirconium 91.22	41 Nb Niobium 92.91	42 Mo Molybdenum 95.94	43 Tc Technetium (98)	44 Ru Ruthenium 101.1	45 Rh Rhodium 102.9	46 Pd Palladium 106.4	47 Ag Silver 107.9	48 Cd Cadmium 112.4	49 In Indium 114.8	50 Sn Tin 118.7	51 Sb Antimony 121.8	52 Te Tellurium 127.6	53 I Iodine 126.9	54 Xe Xenon 131.3	5
6	55 Cs Cesium 132.9	56 Ba Barium 137.3	57 La Lanthanum 138.9	72 Hf Hafnium 178.5	73 Ta Tantalum 180.9	74 W Tungsten 183.8	75 Re Rhenium 186.2	76 Os Osmium 190.2	77 Ir Iridium 192.2	78 Pt Platinum 195.1	79 Au Gold 197.0	80 Hg Mercury 200.6	81 Tl Thallium 204.4	82 Pb Lead 207.2	83 Bi Bismuth 209.0	84 Po Polonium (209)	85 At Astatine (210)	86 Rn Radon (222)	6
7	87 Fr Francium (223)	88 Ra Radium (226)	89 Ac Actinium (227)	104 Rf Rutherfordium (267)	105 Db Dubnium (268)	106 Sg Seaborgium (271)	107 Bh Bohrium (272)	108 Hs Hassium (270)	109 Mt Meitnerium (276)	110 Ds Darmstadtium (281)	111 Rg Roentgenium (280)	112 Cn Copernicium (285)	113 Nh Nihonium (286)	114 Fl Flerovium (289)	115 Mc Moscovium (289)	116 Lv Livermorium (293)	117 Ts Tennessine (293)	118 Og Oganesson (294)	7

Lanthanides 6	58 Ce Cerium 140.1	59 Pr Praseodymium 140.9	60 Nd Neodymium 144.2	61 Pm Promethium (145)	62 Sm Samarium 150.4	63 Eu Europium 152.0	64 Gd Gadolinium 157.3	65 Tb Terbium 158.9	66 Dy Dysprosium 162.5	67 Ho Holmium 164.9	68 Er Erbium 167.3	69 Tm Thulium 168.9	70 Yb Ytterbium 173.0	71 Lu Lutetium 175.0	6
Actinides 7	90 Th Thorium 232.0	91 Pa Protactinium 231.0	92 U Uranium 238.0	93 Np Neptunium (237)	94 Pu Plutonium (244)	95 Am Americium (243)	96 Cm Curium (247)	97 Bk Berkelium (247)	98 Cf Californium (251)	99 Es Einsteinium (252)	100 Fm Fermium (257)	101 Md Mendelevium (258)	102 No Nobelium (259)	103 Lr Lawrencium (262)	7

Metals

Nonmetals

Metalloids

List of the Elements with Their Symbols and Atomic Masses*

Element	Symbol	Atomic Number	Atomic Mass†	Element	Symbol	Atomic Number	Atomic Mass†
Actinium	Ac	89	(227)	Mendelevium	Md	101	(258)
Aluminum	Al	13	26.9815386	Mercury	Hg	80	200.59
Americium	Am	95	(243)	Molybdenum	Mo	42	95.94
Antimony	Sb	51	121.760	Moscovium	Mc	115	(289)
Argon	Ar	18	39.948	Neodymium	Nd	60	144.242
Arsenic	As	33	74.92160	Neon	Ne	10	20.1797
Astatine	At	85	(210)	Neptunium	Np	93	(237)
Barium	Ba	56	137.327	Nickel	Ni	28	58.6934
Berkelium	Bk	97	(247)	Nihonium	Nh	113	(286)
Beryllium	Be	4	9.012182	Niobium	Nb	41	92.90638
Bismuth	Bi	83	208.98040	Nitrogen	N	7	14.0067
Bohrium	Bh	107	(272)	Nobelium	No	102	(259)
Boron	B	5	10.811	Oganesson	Og	118	(294)
Bromine	Br	35	79.904	Osmium	Os	76	190.23
Cadmium	Cd	48	112.411	Oxygen	O	8	15.9994
Calcium	Ca	20	40.078	Palladium	Pd	46	106.42
Californium	Cf	98	(251)	Phosphorus	P	15	30.973762
Carbon	C	6	12.0107	Platinum	Pt	78	195.084
Cerium	Ce	58	140.116	Plutonium	Pu	94	(244)
Cesium	Cs	55	132.9054519	Polonium	Po	84	(209)
Chlorine	Cl	17	35.453	Potassium	K	19	39.0983
Chromium	Cr	24	51.9961	Praseodymium	Pr	59	140.90765
Cobalt	Co	27	58.933195	Promethium	Pm	61	(145)
Copernicium	Cn	112	(285)	Protactinium	Pa	91	231.03588
Copper	Cu	29	63.546	Radium	Ra	88	(226)
Curium	Cm	96	(247)	Radon	Rn	86	(222)
Darmstadtium	Ds	110	(281)	Rhenium	Re	75	186.207
Dubnium	Db	105	(268)	Rhodium	Rh	45	102.90550
Dysprosium	Dy	66	162.500	Roentgenium	Rg	111	(280)
Einsteinium	Es	99	(252)	Rubidium	Rb	37	85.4678
Erbium	Er	68	167.259	Ruthenium	Ru	44	101.07
Europium	Eu	63	151.964	Rutherfordium	Rf	104	(267)
Fermium	Fm	100	(257)	Samarium	Sm	62	150.36
Flerovium	Fl	114	(289)	Scandium	Sc	21	44.955912
Fluorine	F	9	18.9984032	Seaborgium	Sg	106	(271)
Francium	Fr	87	(223)	Selenium	Se	34	78.96
Gadolinium	Gd	64	157.25	Silicon	Si	14	28.0855
Gallium	Ga	31	69.723	Silver	Ag	47	107.8682
Germanium	Ge	32	72.64	Sodium	Na	11	22.98976928
Gold	Au	79	196.966569	Strontium	Sr	38	87.62
Hafnium	Hf	72	178.49	Sulfur	S	16	32.065
Hassium	Hs	108	(270)	Tantalum	Ta	73	180.94788
Helium	He	2	4.002602	Technetium	Tc	43	(98)
Holmium	Ho	67	164.93032	Tellurium	Te	52	127.60
Hydrogen	H	1	1.00794	Tennessine	Ts	117	(293)
Indium	In	49	114.818	Terbium	Tb	65	158.92535
Iodine	I	53	126.90447	Thallium	Tl	81	204.3833
Iridium	Ir	77	192.217	Thorium	Th	90	232.03806
Iron	Fe	26	55.845	Thulium	Tm	69	168.93421
Krypton	Kr	36	83.798	Tin	Sn	50	118.710
Lanthanum	La	57	138.90547	Titanium	Ti	22	47.867
Lawrencium	Lr	103	(262)	Tungsten	W	74	183.84
Lead	Pb	82	207.2	Uranium	U	92	238.02891
Lithium	Li	3	6.941	Vanadium	V	23	50.9415
Livermorium	Lv	116	(293)	Xenon	Xe	54	131.293
Lutetium	Lu	71	174.967	Ytterbium	Yb	70	173.04
Magnesium	Mg	12	24.3050	Yttrium	Y	39	88.90585
Manganese	Mn	25	54.938045	Zinc	Zn	30	65.409
Meitnerium	Mt	109	(276)	Zirconium	Zr	40	91.224

*These atomic masses show as many significant figures as are known for each element. The atomic masses in the periodic table are shown to four significant figures, which is sufficient for solving the problems in this book.

†Approximate values of atomic masses for radioactive elements are given in parentheses.

Chemistry

Julia Burdge
COLLEGE OF WESTERN IDAHO

Mc Graw Hill

CHEMISTRY

Published by McGraw Hill LLC, 1325 Avenue of the Americas, New York, NY 10019.

This book is printed on acid-free paper.

1 2 3 4 5 6 7 8 9 LWI 27 26 25 24 23 22

ISBN 978-1-265-12244-7
MHID 1-265-12244-X

Cover Image: *Stockbyte/Alamy Stock Photo*

mheducation.com/highered

Dedication

To the people who will always matter the most: Katie, Beau, and Sam.

About the Author

Courtesy of Julia Burdge

Julia Burdge received her Ph.D. (1994) from the University of Idaho in Moscow, Idaho. Her research and dissertation focused on instrument development for analysis of trace sulfur compounds in air and the statistical evaluation of data near the detection limit.

In 1994, she accepted a position at The University of Akron in Akron, Ohio, as an assistant professor and director of the Introductory Chemistry program. In the year 2000, she was tenured and promoted to associate professor at The University of Akron on the merits of her teaching, service, and research in chemistry education. In addition to directing the general chemistry program and supervising the teaching activities of graduate students, she helped establish a future-faculty development program and served as a mentor for graduate students and post-doctoral associates. In 2008, Julia relocated back to the northwest to be near family. She lives in Boise, Idaho, and holds an adjunct faculty position at the College of Western Idaho in Nampa.

In her free time, Julia enjoys the company of her children and Erik Nelson, her husband and best friend.

Brief Contents

Contents

Bernhard Staehli/Shutterstock

2 ATOMS, MOLECULES, AND IONS 42

Zoonar/O Popova/age fotostock

3 STOICHIOMETRY: RATIOS OF COMBINATION 90

Zigy Kaluzny/The Image Bank/Getty Images

Sara Stathas/Alamy Stock Photo

5 THERMOCHEMISTRY 202


Pixtal/age fotostock

6 QUANTUM THEORY AND THE ELECTRONIC STRUCTURE OF ATOMS 254


Source: John Crawford/National Cancer Institute

Yoshikazu Tsuno/AFP/Getty Images

8 CHEMICAL BONDING I: BASIC CONCEPTS 358

Dinodia Photos/Alamy Stock Photo

Editorial Image, LLC

10 GASES 464

Corbis/VCG/Image 100/Getty Images

11 INTERMOLECULAR FORCES AND THE PHYSICAL PROPERTIES OF LIQUIDS AND SOLIDS 528

Tom Wang/Shutterstock

12 MODERN MATERIALS 582

Jonas Ekstromer/AFP/Getty Images


Purestock/SuperStock


Chalabala/iStock/Getty Images

Buena Vista Images/DigitalVision/Getty Images

Environmental Images/Universal Images Group/Shutterstock

Margouillat photo/Shutterstock



LAGUNA DESIGN/Science Photo Library/
Science Source



Science Photo Library/Alamy Stock Photo

20 NUCLEAR CHEMISTRY 1010



Puwadol Jaturawutthichai/Alamy Stock Photo

21 ENVIRONMENTAL CHEMISTRY 1048



Digital Vision/Getty Images

22 COORDINATION CHEMISTRY 1078

David Kay/Shutterstock

23 ORGANIC CHEMISTRY 1106

Courtesy of Julia Burdge

David A. Tietz/Editorial Image, LLC

25 NONMETALLIC ELEMENTS AND THEIR COMPOUNDS (ONLINE ONLY)

M. Brodie/Alamy Stock Photo

Preface

Welcome to the exciting and dynamic world of Chemistry! My desire to create a general chemistry textbook grew out of my concern for the interests of students and faculty alike. Having taught general chemistry for many years, and having helped new teachers and future faculty develop the skills necessary to teach general chemistry, I believe I have developed a distinct perspective on the common problems and misunderstandings that students encounter while learning the fundamental concepts of chemistry—and that professors encounter while teaching them. I believe that it is possible for a textbook to address many of these issues while conveying the wonder and possibilities that chemistry offers. With this in mind, I have tried to write a text that balances the necessary fundamental concepts with engaging real-life examples and applications, while utilizing a consistent, step-by-step problem-solving approach and an innovative art and media program.

Key Features

Problem-Solving Methodology

Sample Problems are worked examples that guide the student step-by-step through the process of solving problems. Each Sample Problem follows the same four-step method: Strategy, Setup, Solution, and Think About It (check).

SAMPLE PROBLEM 4.8

For an aqueous solution of glucose ($C_6H_{12}O_6$), determine (a) the molarity of 2.00 L of a solution that contains 50.0 g of glucose, (b) the volume of this solution that would contain 0.250 mol of glucose, and (c) the number of moles of glucose in 0.500 L of this solution.

Strategy Convert the mass of glucose given to moles, and use the equations for interconversions of *M,* liters, and moles to calculate the answers.

Setup The molar mass of glucose is 180.2 g.

$$\text{moles of glucose} = \frac{50.0\ \text{g}}{180.2\ \text{g/mol}} = 0.277\ \text{mol}$$

Solution (a) $\text{molarity} = \dfrac{0.227\ \text{mol}\ C_6H_{12}O_6}{2.00\ \text{L solution}} = 0.139\ M$

A common way to state the concentration of this solution is to say, "This solution is 0.139 *M* in glucose."

(b) $\text{volume} = \dfrac{0.250\ \text{mol}\ C_6H_{12}O_6}{0.139\ M} = 1.80\ L$

(c) moles of $C_6H_{12}O_6$ in 0.500 L = 0.500 L × 0.139 M = 0.0695 mol

THINK ABOUT IT

Check to see that the magnitudes of your answers are logical. For example, the mass given in the problem corresponds to 0.277 mol of solute. If you are asked, as in part (b), for the volume that contains a number of moles smaller than 0.277, make sure your answer is smaller than the original volume.

Practice Problem ATTEMPT For an aqueous solution of sucrose ($C_{12}H_{22}O_{11}$), determine (a) the molarity of 5.00 L of a solution that contains 235 g of sucrose, (b) the volume of this solution that would contain 1.26 mol of sucrose, and (c) the number of moles of sucrose in 1.89 L of this solution.

Practice Problem BUILD For an aqueous solution of sodium chloride (NaCl), determine (a) the molarity of 3.75 L of a solution that contains 155 g of sodium chloride, (b) the volume of this solution that would contain 4.58 mol of sodium chloride, and (c) the number of moles of sodium chloride in 22.75 L of this solution.

Practice Problem CONCEPTUALIZE The diagrams represent solutions of two different concentrations. What volume of solution 2 contains the same amount of solute as 5.00 mL of solution 1? What volume of solution 1 contains the same amount of solute as 30.0 mL of solution 2?



solution 1 solution 2

Strategy: plan is laid out for solving the problem.

Setup: necessary information is gathered and organized.

Solution: problem is worked out.

Think About It:
– Assess the result.
– Provides information that shows the relevance of the result or the technique.
– Sometimes shows an alternate route to the same answer.

Each Sample Problem is followed by my ABC approach of three Practice Problems: **A**ttempt, **B**uild, and **C**onceptualize.

ATTEMPT

Practice Problem **A** (or "**A**ttempt") asks the student to apply the same Strategy to solve a problem very similar to the Sample Problem. In general, the same Setup and series of steps in the Solution can be used to solve Practice Problem A.

BUILD

Practice Problem **B** (or "**B**uild") assesses mastery of the same skills as those required for the Sample Problem and Practice Problem A, but everywhere possible; Practice Problem B cannot be solved using the same Strategy used for the Sample Problem and for Practice Problem A. This provides the student an opportunity to develop a strategy independently, and combats the tendency that some students have to want to apply a "template" approach to solving chemistry problems. Practice Problems "Attempt" and "Build" have been incorporated into the problems available in Connect (R) and can be used in online homework and/or quizzing.

CONCEPTUALIZE

Practice Problem **C** (or "**C**onceptualize") provides an exercise that probes the student's conceptual understanding of the material. Practice Problems C often include concept and molecular art.

Applying What You've Learned

Sports drinks typically contain sucrose ($C_{12}H_{22}O_{11}$), fructose ($C_6H_{12}O_6$), sodium citrate ($Na_3C_6H_5O_7$), potassium citrate ($K_3C_6H_5O_7$), and ascorbic acid ($H_2C_6H_6O_6$), among other ingredients. (a) Classify each of these ingredients as a nonelectrolyte, a weak electrolyte, or a strong electrolyte [◀◀ Sample Problem 4.1]. (b) If a sports drink is 0.0015 *M* in both potassium citrate and potassium phosphate, what is the overall concentration of potassium in the drink [◀◀ Sample Problem 4.11]? (c) The aqueous iodine used to determine vitamin C content in sports drinks can be prepared by combining aqueous solutions of iodic acid (HIO_3) and hydroiodic acid (HI). (The products are aqueous iodine and liquid water.) Write a balanced equation for this reaction [◀◀ Sample Problem 3.3]. (d) Write the net ionic equation for the reaction [◀◀ Sample Problem 4.3]. (e) Determine the oxidation number for each element in the net ionic equation [◀◀ Sample Problem 4.5].

Each chapter's end-of-chapter questions and problems begin with an **Integrative Problem,** titled *Applying What You've Learned.* These integrative problems incorporate multiple concepts from the chapter, with each step of the problem providing a specific reference to the appropriate Sample Problem in case the student needs direction.

Key Skills

Newly located immediately before the end-of-chapter problems, Key Skills pages are modules that provide a review of specific problem-solving techniques from that particular chapter. These are techniques the author knows are vital to success in later chapters. The Key Skills pages are designed to be easy-to-find touchstones to hone specific skills from earlier chapters—in the context of later chapters. The answers to the Key Skills Problems can be found in the Answer Appendix in the back of the book.



KEY SKILLS **Enthalpy of Reaction**

Using tabulated ΔH°_f values, we can calculate the standard enthalpy of reaction (ΔH°_{rxn}) using Equation 5.19:

$$\Delta H^\circ_{rxn} = \Sigma n\Delta H^\circ_f\,(\text{products}) - \Sigma m\Delta H^\circ_f\,(\text{reactants})$$

This method of calculating thermodynamic quantities such as enthalpy of reaction is important not only in this chapter, but also in Chapters 19 and 20. The following examples illustrate the use of Equation 5.19 and data from Appendix 2. Each example provides a specific reminder of one of the important facets of this approach.

Look up ΔH°_f values for reactants and products. Sum all ΔH°_f values for products. Sum all ΔH°_f values for reactants. Subtract reactant sum from product sum.

$CaCO_3(s) \longrightarrow CaO(s) + CO_2(g)$

−1206.9 −635.6 −393.5

	ΔH°_f (kJ/mol)
$CO_2(g)$	−393.5
$CaO(s)$	−635.6
$CaCO_3(s)$	−1206.9

$\Delta H^\circ_f = [(-635.6) + (-393.5)] - (-1206.9) = +187.8$ kJ/mol

Each ΔH°_f value must be multiplied by the corresponding stoichiometric coefficient in the balanced equation.

$N_2H_4(l) + 2N_2O_4(g) \longrightarrow 6NO(g) + 2H_2O(l)$

50.4 9.66 90.4 −285.8

	ΔH°_f (kJ/mol)
$H_2O(l)$	−285.8
$NO(g)$	90.4
$N_2O_4(g)$	9.66
$N_2H_4(l)$	50.4

$\Delta H^\circ_f = [6(90.4) + 2(-285.8)] - [(50.4) + 2(9.66)] = -53.92$ kJ/mol

238

$Ba(s) + 2H_2O(l) \longrightarrow Ba(OH)_2(aq) + H_2(g)$

By definition, the standard enthalpy of formation for an element in its standard state is zero. In addition, many tables of thermodynamic data, including Appendix 2, do not contain values for aqueous strong electrolytes such as barium hydroxide. However, the tables do include values for the individual aqueous ions. Therefore, determination of this enthalpy of reaction is facilitated by rewriting the equation with $Ba(OH)_2$ written as separate ions:

$Ba(s) + 2H_2O(l) \longrightarrow Ba^{2+}(aq) + 2OH^-(aq) + H_2(g)$

0 −285.8 −538.4 −229.94 0

	ΔH°_f (kJ/mol)
$H_2(g)$	0
$OH^-(aq)$	−229.94
$Ba^{2+}(aq)$	−538.4
$H_2O(l)$	−285.8
$Ba(s)$	0

$\Delta H^\circ_f = [(-538.4) + 2(-229.94) + (0)] - [(0) + 2(-285.8)] = -426.7$ kJ/mol

You will find more than one tabulated ΔH°_f value for some substances, such as water. It is important to select the value that corresponds to the phase of matter represented in the chemical equation. In previous examples, water has appeared in the balanced equations as a liquid. It can also appear as a gas.

$2C_4H_{10}(g) + 13O_2(g) \longrightarrow 8CO_2(g) + 10H_2O(g)$

−124.7 0 −393.5 −248.1

	ΔH°_f (kJ/mol)
$H_2O(l)$	−285.8
$H_2O(g)$	−248.1
$CO_2(g)$	−393.5
$O_2(g)$	0
$C_4H_{10}(g)$	−124.7

$\Delta H^\circ_f = [8(-393.5) + 10(-248.1)] - [2(-124.7) + (0)] = -5379.6$ kJ/mol

Key Skills Problems

5.1
Using data from Appendix 2, calculate the standard enthalpy of the following reaction:

$Mg(OH)_2(s) \longrightarrow MgO(s) + H_2O(l)$

(a) −608.7 kJ/mol (b) −81.1 kJ/mol (c) −37.1 kJ/mol
(d) +81.1 kJ/mol (e) +37.1 kJ/mol

5.2
Using data from Appendix 2, calculate the standard enthalpy of the following reaction:

$4HBr(g) + O_2(g) \longrightarrow 2H_2O(l) + 2Br_2(l)$

(a) −426.8 kJ/mol (b) −338.8 kJ/mol (c) −249.6 kJ/mol
(d) +426.8 kJ/mol (e) +338.8 kJ/mol

5.3
Using data from Appendix 2, calculate the standard enthalpy of the following reaction (you must first balance the equation):

$P(\text{red}) + Cl_2(g) \longrightarrow PCl_3(g)$

(a) −576.1 kJ/mol (b) −269.7 kJ/mol (c) −539.3 kJ/mol
(d) −602.6 kJ/mol (e) +639.4 kJ/mol

5.4
Using only whole number coefficients, the combustion of hexane can be represented as:

$2C_6H_{14}(l) + 19O_2(g) \longrightarrow 12CO_2(g) + 14H_2O(l)$
$\Delta H^\circ = -8388.4$ kJ/mol

Using this and data from Appendix 2, determine the standard enthalpy of formation of hexane.

(a) −334.8 kJ/mol (b) −167.4 kJ/mol (c) −669.6 kJ/mol
(d) +334.8 kJ/mol (e) +669.6 kJ/mol

239

New to the Sixth Edition

- Updated periodic-table numbering scheme.
- **New chapter openers,** with emphasis on the chemistry associated with global climate change.
- **New End-of-Chapter Problems** have been added in response to user comments. These include additional conceptual problems, and updates of information in topical questions.
- **Specific references to Key Skills pages** in the "Before You Begin, Review These Skills" sections.
- **New figures** to help students develop conceptual understanding.
- **Continued development of truly comprehensive and consistent problem-solving.** Hundreds of worked examples (Sample Problems) help students get started learning how to approach and solve problems.

New and updated chapter content includes:
Incorporation of essential information from student notes into the main flow of text in each chapter. The remaining student notes are designed to help students over a variety of stumbling blocks. They include timely warnings about common errors, reminders of important information from previous chapters, and general information that helps place the material in an easily understood context.

Chapter 1—New and updated end-of-chapter problems and a new figure illustrating intensive and extensive properties

Chapter 2—Updated end-of-chapter problems

Chapter 4—New and updated conceptual end-of-chapter problems

Chapter 5—New and updated conceptual end-of-chapter problems

Chapter 7—New conceptual checkpoint questions

Chapter 9—New chapter opener and Applying-What-You've-Learned problems

Chapter 10—Updated end-of-chapter problems

Chapter 11—New Sample and Practice Problems

Chapter 13—New chapter opener and new end-of-chapter problems

Chapter 14—New and updated conceptual end-of-chapter problems

Chapter 17—New conceptual end-of-chapter problems

Chapter 19—New conceptual end-of-chapter problems

Instructor and Student Resources

Instructor Resources

Mc Graw Hill ALEKS®

ALEKS (Assessment and LEarning in Knowledge Spaces) is a web-based system for individualized assessment and learning available 24/7 over the Internet. ALEKS uses artificial intelligence to accurately determine a student's knowledge and then guides her to the material that she is most ready to learn. ALEKS offers immediate feedback and access to ALEKSPedia—an interactive text that contains concise entries on chemistry topics. ALEKS is also a full-featured course management system with rich reporting features that allow instructors to monitor individual and class performance, set student goals, assign/grade online quizzes, and more. ALEKS allows instructors to spend more time on concepts while ALEKS teaches students practical problem-solving skills. And with ALEKS 360, your student also has access to this text's eBook. Learn more at **www.aleks.com/highered/science.**

Instructors have access to the following instructor resources:

- **Instructor's Manual** This supplement contains Learning Objectives; Applications, Demonstrations, Tips and References; a list of End-of-Chapter Problems sorted by difficulty; and a list of End-of-Chapter Problems sorted by type for each chapter of the text.

- **Art** Full-color digital files of all illustrations, photos, and tables in the book can be readily incorporated into lecture presentations, exams, or custom-made classroom materials. In addition, all files have been inserted into PowerPoint slides for ease of lecture preparation.
- **Animations** Numerous full-color animations illustrating important processes are also provided. Harness the visual impact of concepts in motion by importing these files into classroom presentations or online course materials.
- **PowerPoint Lecture Outlines** Ready-made presentations that combine art and lecture notes are provided for each chapter of the text.
- **Computerized Test Bank** Test questions that accompany *Chemistry* are available for creating exams or quizzes.
- **Instructor's Solutions Manual** This supplement contains complete, worked-out solutions for *all* the end-of-chapter problems in the text.

McGraw Hill Virtual Labs is a must-see, outcomes-based lab simulation. It assesses a student's knowledge and adaptively corrects deficiencies, allowing the student to learn faster and retain more knowledge with greater success. First, a student's knowledge is adaptively leveled on core learning outcomes: Questioning reveals knowledge deficiencies that are corrected by the delivery of content that is conditional on a student's response. Then, a simulated lab experience requires the student to think and act like a scientist: recording, interpreting, and analyzing data using simulated equipment found in labs and clinics. The student is allowed to make mistakes—a powerful part of the learning experience! A virtual coach provides subtle hints when needed, asks questions about the student's choices, and allows the student to reflect on and correct those mistakes. Whether your need is to overcome the logistical challenges of a traditional lab, provide better lab prep, improve student performance, or make your online experience one that rivals the real world, McGraw Hill Virtual Labs accomplishes it all.



McGraw Hill Create™

With **McGraw Hill Create,** you can easily rearrange chapters, combine material from other content sources, and quickly upload content you have written, like your course syllabus or teaching notes. Find the content you need in Create by searching through thousands of leading McGraw Hill textbooks. Arrange your book to fit your teaching style. Create even allows you to personalize your book's appearance by selecting the cover and adding your name, school, and course information. Order a Create book and you'll receive a complimentary print review copy in three to five business days or a complimentary electronic review copy (eComp) via email in minutes. Go to www.mcgrawhillcreate.com today and register to experience how McGraw Hill Create empowers you to teach *your* students *your* way. **www.mcgrawhillcreate.com**

Additional Student Resources

All students will have access to **chemistry animations** for the animated Visualizing Chemistry figures as well as other chemistry animations. Within the text, the animations are mapped to the appropriate content.

Additionally, students can purchase a Student Solution Manual that contains detailed solutions and explanations for the odd-numbered problems in the main text.

For me, this text will always remain a work in progress. I encourage you to contact me with any comments or questions.

Julia Burdge
juliaburdge@cwidaho.cc

Acknowledgments

I wish to thank the many people who have contributed to the continued development of this text. Raymond Chang's lifetime commitment and Jason Overby's tireless work on the development and demonstration of the book's digital content continue to ensure and augment the quality of this endeavor.

My family, as always, continues to be there for me—no matter what.

Finally, I wish to thank my McGraw Hill family, for their continued confidence and support. This family consists of Vice President, Science, Engineering, and Math Portfolio Kathleen McMahon, Executive Portfolio Manager Michelle Hentz, Senior Marketing Manager Cassie Cloutier, Senior Product Developer Mary Hurley, Senior Content Project Manager Jane Mohr, Product Development Manager Robin Reed, and Lead Designer David Hash.

ALEKS®

Create More Lightbulb Moments.

Every student has different needs and enters your course with varied levels of preparation. ALEKS® pinpoints what students already know, what they don't and, most importantly, what they're ready to learn next. Optimize your class engagement by aligning your course objectives to ALEKS® topics and layer on our textbook as an additional resource for students.

ALEKS® Creates a Personalized and Dynamic Learning Path

ALEKS® creates an optimized path with an ongoing cycle of learning and assessment, celebrating students' small wins along the way with positive real-time feedback. Rooted in research and analytics, ALEKS® improves student outcomes by fostering better preparation, increased motivation and knowledge retention.

*visit **bit.ly/whatmakesALEKSunique** to learn more about the science behind the most powerful adaptive learning tool in education!

Preparation & Retention

The more prepared your students are, the more effective your instruction is. Because ALEKS® understands the prerequisite skills necessary for mastery, students are better prepared when a topic is presented to them. ALEKS® provides personalized practice and guides students to what they need to learn next to achieve mastery. ALEKS® improves knowledge and student retention through periodic knowledge checks and personalized learning paths. This cycle of learning and assessment ensures that students remember topics they have learned, are better prepared for exams, and are ready to learn new content as they continue into their next course.



Flexible Implementation: Your Class Your Way!

ALEKS® enables you to structure your course regardless of your instruction style and format. From a traditional classroom, to various co-requisite models, to an online prep course before the start of the term, ALEKS® can supplement your instruction or play a lead role in delivering the content.

*visit **bit.ly/ALEKScasestudies** to see how your peers are delivering better outcomes across various course models!

Outcomes & Efficacy

Our commitment to improve student outcomes services a wide variety of implementation models and best practices, from lecture-based to labs and co-reqs to summer prep courses. Our case studies illustrate our commitment to help you reach your course goals and our research demonstrates our drive to support all students, regardless of their math background and preparation level.

*visit **bit.ly/outcomesandefficacy** to review empirical data from ALEKS® users around the country





Turn Data Into Actionable Insights

ALEKS® Reports are designed to inform your instruction and create more meaningful interactions with your students when they need it the most. ALEKS® Insights alert you when students might be at risk of falling behind so that you can take immediate action. Insights summarize students exhibiting at least one of four negative behaviors that may require intervention including Failed Topics, Decreased Learning, Unusual Learning and Procrastination & Cramming.

DIGITAL EDGE50 AWARDS 2019

Winner of 2019 Digital Edge 50 Award for Data Analytics!

bit.ly/ALEKS_MHE

Chemistry

CHAPTER 1

Chemistry: The Central Science

Calving glacier.
Bernhard Staehli/Shutterstock

In This Chapter, You Will Learn

Some of what chemistry is and how it is studied using the scientific method. You will learn about the system of units used by scientists and about expressing and dealing with the numbers that result from scientific measurements.

Before You Begin, Review These Skills

- Basic algebra
- Scientific notation [⏭ Appendix 1]

Global Climate Change and the Scientific Method

To advance understanding of science, researchers use a set of guidelines known as the *scientific method*. The guidelines involve careful observations, educated reasoning, and the development and experimental testing of hypotheses and theories. One field of study in which the scientific method has informed our understanding of the world is that of *global climate change*.

Late in the nineteenth century, Swedish chemist Svante Arrhenius used the principles of chemistry to describe the "greenhouse effect," the process by which certain components of the atmosphere absorb some of the energy radiating from Earth's surface and prevent it from escaping into space—thereby warming the planet. The greenhouse effect is a natural phenomenon, responsible in part for Earth's average global temperature being hospitable to humans and other forms of life. But Arrhenius also predicted what he perceived to be an inevitable, eventual consequence of the burning of coal and other fossil fuels, which increased significantly during the industrial revolution. He believed that, unchecked, the dramatic increase in atmospheric CO_2 caused by human activities would cause a potentially dangerous increase in global temperature via the "enhanced greenhouse effect."

Several groups of climate scientists, including those at the National Aeronautics and Space Administration's Goddard Institute for Space Studies (NASA/GISS) at Columbia University, study global temperature trends by analyzing observations from many thousands of data sets gathered using a variety of different measurement techniques over the course of more than a century. Their findings have consistently validated Arrhenius's prediction. There is no doubt that the temperature of our planet is increasing. Moreover, the connection between global temperature change and human activities—most importantly the burning of fossil fuels—is undeniable.

The issue of global climate change is one that appears frequently in the popular press. Unfortunately, it has become something of a political issue, with some people dismissing its importance or denying its existence outright. As a student of science, you will want to develop an informed perspective. To do this, you must understand how observations, hypotheses, theories, and experimentation contribute to a self-correcting scientific narrative; and how they have given rise to the current scientific consensus regarding climate change and humankind's role in it.

At the end of this chapter, you will be able to answer several questions related to the study of global climate change [⏭ Applying What You've Learned, page 34].

1.1 The Study of Chemistry

Chemistry often is called the *central science* because knowledge of the principles of chemistry can facilitate understanding of other sciences, including physics, biology, geology, astronomy, oceanography, engineering, and medicine. ***Chemistry*** is the study of *matter* and the *changes* that matter undergoes. Matter is what makes up our bodies, our belongings, our physical environment, and in fact our universe. ***Matter*** is anything that has mass and occupies space.

Although it can take many different forms, all matter consists of various combinations of atoms of only a relatively small number of simple substances called *elements*. The properties of matter depend on which of these elements it contains and on how the atoms of those elements are arranged.

Chemistry You May Already Know

You may already be familiar with some of the terms used in chemistry. Even if this is your first chemistry course, you may have heard of *molecules* and know them to be tiny pieces of a substance—much too tiny to see. Further, you may know that molecules are made up of *atoms,* even smaller pieces of matter. And even if you don't know what a chemical formula is, you probably know that H_2O is water and CO_2 is carbon dioxide. You may have used, or at least heard, the term *chemical reaction;* and you are undoubtedly familiar with a variety of chemical reactions, such as those shown in Figure 1.1.

Familiar chemical reactions, such as those shown in Figure 1.1, are all things that you can observe at the *macroscopic level*. In other words, these processes and their results are visible to the human eye. In studying chemistry, you will learn to understand and visualize many of these processes at the *molecular level*.

Because atoms and molecules are far too small to observe directly, we need a way to visualize them. One way is through the use of molecular models. Throughout


(a)


(c)

(e)

(b)


(d)

Figure 1.1 Many familiar processes are chemical reactions: (a) The flame of a creme brulee torch is the combustion of butane. (b) The bubbles produced when Alka-Seltzer dissolves in water are carbon dioxide, produced by a chemical reaction between two ingredients in the tablets. (c) The formation of rust is a chemical reaction that occurs when iron, water, and oxygen are all present. (d) Many baked goods "rise" as the result of a chemical reaction that produces carbon dioxide. (e) The glow produced when luminol is used to detect traces of blood in crime-scene investigations is the result of a chemical reaction.

a: Mike Liu/Shutterstock; b: Charles D. Winters/McGraw Hill; c: Danie van Niekerk/Shutterstock; d: Marie C Fields/Shutterstock; e: Couperfield/Shutterstock

FAQ How Can I Enhance My Chances of Success in Chemistry Class?

Success in a chemistry class depends largely on problem-solving ability. The Sample Problems throughout this text are designed to help you develop problem-solving skills. Each is divided into four steps: Strategy, Setup, Solution, and Think About It.

Strategy: Read the problem carefully and determine what is being asked and what information is provided. The Strategy step is where you should think about what skills are required and lay out a plan for solving the problem. Give some thought to what you expect the result to be. If you are asked to determine the number of atoms in a sample of matter, for example, you should expect the answer to be a whole number. Determine what, if any, units should be associated with the result. When possible, make a ballpark estimate of the magnitude of the correct result, and make a note of your estimate.

Setup: Next, gather the information necessary to solve the problem. Some of the information will have been given in the problem itself. Other information, such as equations, constants, and tabulated data (including atomic masses), should also be brought together in this step. Write down and label clearly all of the information you will use to solve the problem. Be sure to write appropriate units with each piece of information.

Solution: Using the necessary equations, constants, and other information, calculate the answer to the problem. Pay particular attention to the units associated with each number, tracking and canceling units throughout the calculation. In the event that multiple calculations are required, carefully label any intermediate results.

Think About It: Consider your calculated result and ask yourself whether or not it makes sense. Compare the units and the magnitude of your result with your ballpark estimate from the Strategy step. If your result does not have the appropriate units, or if its magnitude or sign is not reasonable, check your solution for possible errors. A very important part of problem solving is being able to judge whether the answer is reasonable. It is relatively easy to spot a wrong sign or incorrect units, but you should also develop a sense of magnitude and be able to tell when an answer is either way too big or way too small. For example, if a problem asks how many molecules are in a sample and you calculate a number that is less than 1, you should know that it cannot be correct.

For additional practice, each Sample Problem is followed by three Practice Problems: A, B, and C. Practice Problem A, "Attempt," typically is very similar to the Sample Problem and can be solved using the same strategy. Practice Problem B, "Build," generally tests the same skills as Practice Problem A, but usually requires a slightly different approach. Practice Problem B lets you practice devising your own problem-solving strategy—an indispensable skill in any science curriculum. Practice Problem C, "Conceptualize," specifically probes your understanding of the underlying chemical concepts associated with the Sample Problem.

Regular use of the Sample Problems and Practice Problems A, B, and C in this text can help you develop an effective set of problem-solving skills. They can also help you assess whether you are ready to move on to the next new concepts. If you struggle with the Practice Problems, then you probably need to review the corresponding Sample Problem and the concepts that led up to it.

this book, we will represent matter at the molecular level using *molecular art,* the two-dimensional equivalent of molecular models. In these pictures, atoms are represented as spheres, and atoms of particular elements are represented using specific colors. Table 1.1 lists some of the elements that you will encounter most often and the colors used to represent them in this book.

Molecular art can be of *ball-and-stick* models, in which the bonds connecting atoms appear as sticks [Figure 1.2(b)], or of *space-filling* models, in which the atoms appear to overlap one another [Figure 1.2(c)]. Ball-and-stick and space-filling models illustrate the specific, three-dimensional arrangement of the atoms. The ball-and-stick model does a good job of illustrating the arrangement of atoms, but exaggerates the distances between atoms, relative to their sizes. The space-filling model gives a more accurate picture of these *interatomic* distances but can obscure the details of the three-dimensional arrangement.

The Scientific Method

Experiments are the key to advancing our understanding of chemistry—or any science. Although not all scientists will necessarily take the same approach to experimentation, they all follow a set of guidelines known as the ***scientific method*** to add their results

H_2O

(a)



(b)

(c)

Figure 1.2 Water represented with a (a) molecular formula, (b) ball-and-stick model, and (c) space-filling model.

TABLE 1.1 Colors of Elements Commonly Used in Molecular Art

Hydrogen	Sodium
Boron	Phosphorus
Carbon	Sulfur
Nitrogen	Chlorine
Oxygen	Bromine
Fluorine	Iodine

to the larger body of knowledge within a given field. The flowchart in Figure 1.3 illustrates this basic process. The method begins with the gathering of data via observations and experiments. Scientists study these data and try to identify *patterns* or *trends*. When they find a pattern or trend, they may summarize their findings with a ***law,*** a concise verbal or mathematical statement of a reliable relationship between phenomena. Scientists may then formulate a ***hypothesis,*** a tentative explanation for their observations. Further experiments are designed to test the hypothesis. If experiments indicate that the hypothesis is incorrect, the scientists go back to the drawing board, try to come up with a different interpretation of their data, and formulate a new hypothesis. The new hypothesis will then be tested by experiment. When a hypothesis stands the test of extensive experimentation, it may evolve into a theory. A ***theory*** is a unifying principle that explains a body of experimental observations and the laws that are based on them. Theories can also be used to predict related phenomena, so theories are constantly being tested. If a theory is disproved by experiment, then it must be discarded or modified so that it becomes consistent with experimental observations.

A fascinating example of the use of the scientific method is the story of how smallpox was eradicated. Late in the eighteenth century, an English doctor named Edward Jenner observed that even during outbreaks of smallpox in Europe, milkmaids seldom contracted the disease. He reasoned that when people who had frequent contact with cows contracted *cowpox,* a similar but far less harmful disease, they developed a natural immunity to smallpox. He predicted that intentional exposure to the cowpox virus would produce the same immunity. In 1796, Jenner exposed an 8-year-old boy to the cowpox virus using pus from the cowpox lesions of an infected milkmaid. Six weeks later, he exposed the boy to the *smallpox* virus and, as Jenner had predicted, the boy did *not* contract the disease. Subsequent experiments using the same technique (later dubbed *vaccination* from the Latin *vacca* meaning *cow*) confirmed that immunity to smallpox could be induced.



Figure 1.3 Flowchart of the scientific method.

A superbly coordinated international effort on the part of healthcare workers was successful in eliminating smallpox worldwide. In 1980, the World Health Organization declared smallpox officially eradicated in nature. This historic triumph over a dreadful disease, one of the greatest medical advances of the twentieth century, began with Jenner's astute observations, inductive reasoning, and careful experimentation—the essential elements of the *scientific method.*

1.2 Classification of Matter

Chemists classify matter as either a *substance* or a *mixture* of substances. A ***substance*** is a form of matter that has a specific composition and distinct properties. Examples are salt (sodium chloride), iron, water, mercury, carbon dioxide, and oxygen. Substances can be further classified as either *elements* (such as iron, mercury, and oxygen) or *compounds* (such as salt, water, and carbon dioxide). Different substances differ from one another in composition and properties, and each can be identified by its appearance, taste, smell, or other properties.

Student Note: Some books refer to substances as *pure substances.* These two terms generally mean the same thing although the adjective *pure* is unnecessary in this context because a substance is, by definition, pure.

States of Matter

Every substance can, in principle, exist as a solid, a liquid, and a gas, the three physical states depicted in Figure 1.4. Solids and liquids sometimes are referred to collectively as the *condensed phases*. Liquids and gases sometimes are referred to collectively as *fluids*. In a solid, particles are held close together in an orderly fashion with little freedom of motion. As a result, a solid does not conform to the shape of its container. Particles in a liquid are close together but are not held rigidly in position; they are free to move past one another. Thus, a liquid conforms to the shape of the part of the container it fills. In a gas, the particles are separated by distances that are very large compared to the size of the particles. A sample of gas assumes both the shape and the volume of its container.

The three states of matter can be interconverted without changing the chemical composition of the substance. Upon heating, a solid (e.g., ice) will melt to form a liquid (water). Further heating will vaporize the liquid, converting it to a gas (water vapor). Conversely, cooling a gas will cause it to condense into a liquid. When the liquid is cooled further, it will freeze into the solid form. Figure 1.5 shows the three physical states of water.

Animation
Matter—three states of matter.

Elements

An ***element*** is a substance that cannot be separated into simpler substances by chemical means. Iron, mercury, oxygen, and hydrogen are just 4 of the 118 elements that have



Figure 1.4 Molecular-level illustrations of a solid, liquid, and gas.

Figure 1.5 Water as a solid (ice), liquid, and gas. (We can't actually see water vapor, any more than we can see the nitrogen and oxygen that make up most of the air we breathe. When we see steam or clouds, what we are actually seeing is water vapor that has condensed upon encountering cold air.)

Charles D. Winters/Timeframe Photography/ McGraw Hill

Student Note: A compound may consist of *molecules* or *ions,* which we discuss in Chapter 2.

been identified. Most of the known elements occur naturally on Earth. The others have been produced by scientists via nuclear processes, which are discussed in Chapter 20. As shown in Figure 1.6(a) and (b), an element may consist of atoms or molecules.

For convenience, chemists use symbols of one or two letters to represent the elements. Only the first letter of an element's chemical symbol is capitalized. A list of the elements and their symbols appears at the beginning of this book. The symbols of some elements are derived from their Latin names—for example, Ag from *argentum* (silver), Pb from *plumbum* (lead), and Na from *natrium* (sodium)—while most of them come from their English names—for example, H for hydrogen, Co for cobalt, and Br for bromine.

Compounds

Most elements can combine with other elements to form compounds. Hydrogen gas, for example, burns in the presence of oxygen gas to form water, which has properties that are distinctly different from those of either hydrogen or oxygen. Thus, water is a ***compound,*** a substance composed of atoms of two or more elements chemically united in fixed proportions [Figure 1.6(c)]. The elements that make up a compound are called the compound's *constituent elements*. For example, the constituent elements of water are hydrogen and oxygen; and water always contains twice as many hydrogen atoms as oxygen atoms (fixed proportions).

A compound cannot be separated into simpler substances by any physical process. (A physical process [⏭ Section 1.4] is one that does not change the identity of the matter. Examples of physical processes include boiling, freezing, and filtering.) Instead, the separation of a compound into its constituent elements requires a *chemical reaction*.

Mixtures

A ***mixture*** is a combination of two or more substances [Figure 1.6(d)] in which the substances retain their distinct identities. Like pure substances, mixtures can be solids, liquids, or gases. Some familiar examples are mixed nuts, 14-carat gold, apple juice, salt water, and air. Unlike compounds, mixtures do not have a universal constant composition. Therefore, samples of air collected in different locations will differ in composition because of differences in altitude, pollution, and other factors. The ratio of salt to water in different samples of salt water will vary depending on how they were prepared.

Mixtures are either *homogeneous,* having uniform composition throughout; or *heterogeneous,* having variable composition. When we dissolve a teaspoon of sugar in a glass of water, we get a ***homogeneous mixture.*** However, if we mix sand with iron filings, we get a a ***heterogeneous mixture*** in which the two substances remain distinct and discernible from each other (Figure 1.7).



(a)



(b)



(c)



(d)

Figure 1.6 (a) Isolated atoms of an element. (b) Molecules of an element. (c) Molecules of a compound, consisting of more than one element. (d) A mixture of atoms of an element and molecules of an element and a compound.

(a)

(b)

Figure 1.7 (a) A heterogeneous mixture contains iron filings and sand. (b) A magnet is used to separate the iron filings from the mixture.

a: Charles D. Winters/McGraw Hill; b: Charles D. Winters/Timeframe Photography/McGraw Hill



Figure 1.8 Flowchart for the classification of matter.

Mixtures, whether homogeneous or heterogeneous, can be separated into pure components by physical means—without changing the identities of the components. Thus, sugar can be recovered from a water solution by evaporating the solution to dryness. Condensing the vapor will give us back the water component. To separate the sand–iron mixture, we can use a magnet to remove the iron filings from the sand, because sand is not attracted to the magnet [see Figure 1.7(b)]. After separation, the components of the mixture will have the same composition and properties as they did prior to being combined. The relationships among substances, elements, compounds, and mixtures are summarized in Figure 1.8.

1.3 Scientific Measurement

Scientists use a variety of devices to measure the properties of matter. A meterstick is used to measure length; a burette, pipette, graduated cylinder, and volumetric flask are used to measure volume (Figure 1.9); a balance is used to measure mass; and a

Figure 1.9 (a) A volumetric flask is used to prepare a precise volume of a solution for use in the laboratory. (b) A graduated cylinder is used to measure a volume of liquid. It is less precise than the volumetric flask. (c) A volumetric pipette is used to deliver a precise amount of liquid. (d) A burette is used to measure the volume of a liquid that has been added to a container. A reading is taken before and after the liquid is delivered, and the volume delivered is determined by subtracting the first reading from the second.

Volumetric flask
(a)



Graduated cylinder
(b)

Pipette
(c)



Burette
(d)