

APPLIED FLUID MECHANICS

EIGHTH EDITION



Robert L. Mott | Joseph A. Untener

APPLIED FLUID MECHANICS

This page intentionally left blank

APPLIED FLUID MECHANICS

Eighth Edition

Robert L. Mott

University of Dayton

Joseph A. Untener

University of Dayton



Please contact <https://support.pearson.com/getsupport/s/> with any queries on this content
Cover Image by NavinTar/Shutterstock

Microsoft and/or its respective suppliers make no representations about the suitability of the information contained in the documents and related graphics published as part of the services for any purpose. All such documents and related graphics are provided “as is” without warranty of any kind. Microsoft and/or its respective suppliers hereby disclaim all warranties and conditions with regard to this information, including all warranties and conditions of merchantability, whether express, implied or statutory, fitness for a particular purpose, title and non-infringement. In no event shall Microsoft and/or its respective suppliers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of information available from the services.

The documents and related graphics contained herein could include technical inaccuracies or typographical errors. Changes are periodically added to the information herein. Microsoft and/or its respective suppliers may make improvements and/or changes in the product(s) and/or the program(s) described herein at any time. Partial screen shots may be viewed in full within the software version specified.

Microsoft® and Windows® are registered trademarks of the Microsoft Corporation in the U.S.A. and other countries. This book is not sponsored or endorsed by or affiliated with the Microsoft Corporation.

Copyright © 2022, 2015, 2006 by Pearson Education, Inc. or its affiliates, 221 River Street, Hoboken, NJ 07030. All Rights Reserved. Manufactured in the United States of America. This publication is protected by copyright, and permission should be obtained from the publisher prior to any prohibited reproduction, storage in a retrieval system, or transmission in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise. For information regarding permissions, request forms, and the appropriate contacts within the Pearson Education Global Rights and Permissions department, please visit www.pearsoned.com/permissions/.

Acknowledgments of third-party content appear on the appropriate page within the text

PEARSON, ALWAYS LEARNING, and REVEL are exclusive trademarks owned by Pearson Education, Inc. or its affiliates in the U.S. and/or other countries.

Unless otherwise indicated herein, any third-party trademarks, logos, or icons that may appear in this work are the property of their respective owners, and any references to third-party trademarks, logos, icons, or other trade dress are for demonstrative or descriptive purposes only. Such references are not intended to imply any sponsorship, endorsement, authorization, or promotion of Pearson’s products by the owners of such marks, or any relationship between the owner and Pearson Education, Inc., or its affiliates, authors, licensees, or distributors.

Library of Congress Cataloging-in-Publication Data

Names: Mott, Robert L., author. | Untener, Joseph A., author.

Title: Applied Fluid Mechanics / Robert L. Mott (University of Dayton), Joseph A. Untener (University of Dayton).

Description: Eighth edition. | Boston: Pearson Education, Inc., [2022] | Includes bibliographical references and index.

Identifiers: LCCN 2019010619 | ISBN 9780135577158 | ISBN 0135577152

Subjects: LCSH: Fluid mechanics.

Classification: LCC TA357 .M67 2019 | DDC 620.1/06--dc23 LC record available at <https://lcn.loc.gov/2019010619>

ScoutAutomatedPrintCode



ISBN-10: 0-13-557715-2
ISBN-13: 978-0-13-557715-8

BRIEF CONTENTS

| | | |
|----|--|-----|
| 1 | The Nature of Fluids and the Study of Fluid Mechanics | 1 |
| 2 | Viscosity of Fluids | 20 |
| 3 | Pressure Measurement | 39 |
| 4 | Forces Due to Static Fluids | 64 |
| 5 | Buoyancy and Stability | 94 |
| 6 | Flow of Fluids and Bernoulli's Equation | 118 |
| 7 | General Energy Equation | 154 |
| 8 | Reynolds Number, Laminar Flow, Turbulent Flow, and Energy Losses Due to Friction | 176 |
| 9 | Velocity Profiles for Circular Sections and Flow in Noncircular Sections | 202 |
| 10 | Minor Losses | 221 |
| 11 | Series Pipeline Systems | 260 |
| 12 | Parallel and Branching Pipeline Systems | 291 |
| 13 | Pump Selection and Application | 312 |
| 14 | Open-Channel Flow | 367 |
| 15 | Flow Measurement | 390 |
| 16 | Forces Due to Fluids in Motion | 413 |
| 17 | Drag and Lift | 427 |
| 18 | Fans, Blowers, Compressors, and the Flow of Gases | 444 |
| 19 | Flow of Air in Ducts | 464 |
| | Appendices | 482 |
| | Answers to Selected Problems | 510 |
| | Index | 519 |

This page intentionally left blank

CONTENTS

Preface xii

Acknowledgments xv

1 The Nature of Fluids and the Study of Fluid Mechanics 1

The Big Picture 1

- 1.1 Learning Objectives 3
- 1.2 Basic Introductory Concepts 3
- 1.3 The International System of Units (SI) 4
- 1.4 The U.S. Customary System 5
- 1.5 Weight and Mass 5
- 1.6 Temperature 6
- 1.7 Consistent Units in an Equation 6
- 1.8 The Definition of Pressure 9
- 1.9 Compressibility 10
- 1.10 Density, Specific Weight, and Specific Gravity 11
- 1.11 Surface Tension 14

References 15

Internet Resources 16

Practice Problems 16

Computer Application Assignments 19

2 Viscosity of Fluids 20

The Big Picture 20

- 2.1 Learning Objectives 21
- 2.2 Dynamic Viscosity 22
- 2.3 Kinematic Viscosity 23
- 2.4 Newtonian Fluids and Non-Newtonian Fluids 24
- 2.5 Variation of Viscosity with Temperature 26
- 2.6 Viscosity Measurement 28
- 2.7 SAE Viscosity Grades 33
- 2.8 ISO Viscosity Grades 34
- 2.9 Hydraulic Fluids for Fluid Power Systems 34

References 35

Internet Resources 36

Practice Problems 36

Computer Application Assignments 38

3 Pressure Measurement 39

The Big Picture 39

- 3.1 Learning Objectives 40
- 3.2 Absolute and Gage Pressure 40
- 3.3 Relationship between Pressure and Elevation 41
- 3.4 Development of the Pressure–Elevation Relation 44
- 3.5 Pascal’s Paradox 46
- 3.6 Manometers 47
- 3.7 Barometers 52
- 3.8 Pressure Expressed as the Height of a Column of Liquid 53
- 3.9 Pressure Gages and Transducers 54

References 56

Internet Resources 56

Practice Problems 56

4 Forces Due To Static Fluids 64

The Big Picture 64

- 4.1 Learning Objectives 66
- 4.2 Gases under Pressure 66
- 4.3 Horizontal Flat Surfaces under Liquids 66
- 4.4 Rectangular Walls 67
- 4.5 Submerged Plane Areas—General 70
- 4.6 Development of the General Procedure for Forces on Submerged Plane Areas 73
- 4.7 Piezometric Head 74
- 4.8 Distribution of Force on a Submerged Curved Surface 75
- 4.9 Effect of a Pressure above the Fluid Surface 79
- 4.10 Forces on a Curved Surface with Fluid Below It 79
- 4.11 Forces on Curved Surfaces with Fluid Above and Below 80

Practice Problems 81

Computer Application Assignments 92

5 Buoyancy and Stability 94

The Big Picture 94

- 5.1 Learning Objectives 95
- 5.2 Buoyancy 95
- 5.3 Buoyancy Materials 102
- 5.4 Stability of Completely Submerged Bodies 103
- 5.5 Stability of Floating Bodies 104
- 5.6 Degree of Stability 108

Reference 109

Internet Resources 109

Practice Problems 109

Stability Evaluation Projects 116

6 Flow of Fluids and Bernoulli's Equation 118

The Big Picture 118

- 6.1 Learning Objectives 119
- 6.2 Fluid Flow Rate and the Continuity Equation 119
- 6.3 Commercially Available Pipe and Tubing 123
- 6.4 Recommended Velocity of Flow in Pipe and Tubing 125
- 6.5 Conservation of Energy—Bernoulli's Equation 128
- 6.6 Interpretation of Bernoulli's Equation 129
- 6.7 Restrictions on Bernoulli's Equation 130
- 6.8 Applications of Bernoulli's Equation 130
- 6.9 Torricelli's Theorem 138
- 6.10 Flow Due to a Falling Head 141

References 143

Internet Resources 143

Practice Problems 144

Software Projects Using Bernoulli's Equation and Torricelli's Theorem 153

7 General Energy Equation 154

The Big Picture 154

- 7.1 Learning Objectives 156
- 7.2 Energy Losses and Additions 156
- 7.3 Nomenclature of Energy Losses and Additions 158
- 7.4 General Energy Equation 158
- 7.5 Power Required by Pumps 162
- 7.6 Power Delivered to Fluid Motors 165

Practice Problems 167

8 Reynolds Number, Laminar Flow, Turbulent Flow, and Energy Losses Due to Friction 176

The Big Picture 176

- 8.1 Objectives 179
- 8.2 Reynolds Number 179
- 8.3 Critical Reynolds Numbers 180
- 8.4 Darcy's Equation 181
- 8.5 Friction Loss in Laminar Flow 181
- 8.6 Friction Loss in Turbulent Flow 182
- 8.7 Use of Software for Pipe Flow Problems 188
- 8.8 Equations for the Friction Factor 192
- 8.9 Hazen–Williams Formula for Water Flow 193
- 8.10 Other Forms of the Hazen–Williams Formula 194
- 8.11 Nomograph for Solving the Hazen–Williams Formula 194

References 196

Internet Resources 196

Practice Problems 196

Computer Application Assignments 201

9 Velocity Profiles for Circular Sections and Flow in Noncircular Sections 202

The Big Picture 202

- 9.1 Learning Objectives 203
- 9.2 Velocity Profiles 204
- 9.3 Velocity Profile for Laminar Flow 204
- 9.4 Velocity Profile for Turbulent Flow 206
- 9.5 Flow in Noncircular Sections 209
- 9.6 Computational Fluid Dynamics 213

References 215

Internet Resources 215

Practice Problems 215

Computer Application Assignments 220

10 Minor Losses 221

The Big Picture 221

- 10.1 Objectives 223
- 10.2 Resistance Coefficient 223
- 10.3 Sudden Enlargement 224
- 10.4 Exit Loss 227
- 10.5 Gradual Enlargement 227
- 10.6 Sudden Contraction 229

| | | |
|-------|---|------------|
| 10.7 | Gradual Contraction | 232 |
| 10.8 | Entrance Loss | 233 |
| 10.9 | Resistance Coefficients for Valves and Fittings | 234 |
| 10.10 | Application of Standard Valves | 240 |
| 10.11 | Pipe Bends | 242 |
| 10.12 | Pressure Drop in Fluid Power Valves | 244 |
| 10.13 | Flow Coefficients for Valves Using C_V | 247 |
| 10.14 | Plastic Valves | 248 |
| 10.15 | Using PIPE-FLO® Software for component Losses | 249 |
| | References | 254 |
| | Internet Resources | 254 |
| | Practice Problems | 255 |
| | Computer Application Assignments | 259 |

11 Series Pipeline Systems 260

| | | |
|------|--|------------|
| | The Big Picture | 260 |
| 11.1 | Objectives | 261 |
| 11.2 | Class I Systems | 261 |
| 11.3 | Spreadsheet Aid for Class I Problems | 265 |
| 11.4 | Class II Systems | 268 |
| 11.5 | Class III Systems | 274 |
| 11.6 | PIPE-FLO® Examples for Series Pipeline Systems | 277 |
| 11.7 | Pipeline Design for Structural Integrity | 282 |
| | References | 283 |
| | Internet Resources | 284 |
| | Practice Problems | 284 |
| | Computer Application Assignments | 290 |

12 Parallel and Branching Pipeline Systems 291

| | | |
|------|--|------------|
| | The Big Picture | 291 |
| 12.1 | Objectives | 293 |
| 12.2 | Systems with Two Branches | 293 |
| 12.3 | Parallel Pipeline Systems and Pressure Boundaries in PIPE-FLO® | 299 |
| 12.4 | Systems with Three or More Branches—Networks | 302 |
| | References | 309 |
| | Internet Resources | 309 |
| | Practice Problems | 309 |
| | Computer Application Assignments | 311 |

13 Pump Selection and Application 312

| | | |
|-------|---|------------|
| | The Big Picture | 312 |
| 13.1 | Objectives | 313 |
| 13.2 | Parameters Involved in Pump Selection | 314 |
| 13.3 | Types of Pumps | 314 |
| 13.4 | Positive-Displacement Pumps | 314 |
| 13.5 | Kinetic Pumps | 320 |
| 13.6 | Performance Data for Centrifugal Pumps | 324 |
| 13.7 | Affinity Laws for Centrifugal Pumps | 324 |
| 13.8 | Manufacturers' Data for Centrifugal Pumps | 327 |
| 13.9 | Net Positive Suction Head | 335 |
| 13.10 | Suction Line Details | 340 |
| 13.11 | Discharge Line Details | 340 |
| 13.12 | The System Resistance Curve | 341 |
| 13.13 | Pump Selection and the Operating Point for the System | 344 |
| 13.14 | Using PIPE-FLO® for Selection of Commercially Available Pumps | 346 |
| 13.15 | Alternate System Operating Modes | 350 |
| 13.16 | Pump Type Selection and Specific Speed | 355 |
| 13.17 | Life Cycle Costs for Pumped Fluid Systems | 357 |
| 13.18 | Recommendations for Further Study | 358 |
| | References | 359 |
| | Internet Resources | 360 |
| | Practice Problems | 360 |
| | Supplemental Problem (PIPE-FLO® only) | 362 |
| | Design Problems | 362 |
| | Design Problem Statements | 362 |
| | Comprehensive Design Problem | 364 |

14 Open-Channel Flow 367

| | | |
|------|---|------------|
| | The Big Picture | 367 |
| 14.1 | Objectives | 369 |
| 14.2 | Classification of Open-Channel Flow | 369 |
| 14.3 | Hydraulic Radius and Reynolds Number in Open-Channel Flow | 370 |
| 14.4 | Kinds of Open-Channel Flow | 370 |
| 14.5 | Uniform Steady Flow in Open Channels | 371 |
| 14.6 | The Geometry of Typical Open Channels | 375 |
| 14.7 | The Most Efficient Shapes for Open Channels | 377 |

- 14.8** Critical Flow and Specific Energy 377
14.9 Hydraulic Jump 379
14.10 Open-Channel Flow Measurement 381
References 385
Digital Publications 385
Internet Resources 386
Practice Problems 386
Computer Application Assignments 389
- 15 Flow Measurement 390**
The Big Picture 390
15.1 Objectives 391
15.2 Flowmeter Selection Factors 391
15.3 Variable-Head Meters 392
15.4 Variable-Area Meters 399
15.5 Turbine Flowmeter 400
15.6 Vortex Flowmeter 400
15.7 Magnetic Flowmeter 401
15.8 Ultrasonic Flowmeters 402
15.9 Positive-Displacement Meters 403
15.10 Mass Flow Measurement 403
15.11 Velocity Probes 405
15.12 Level Measurement 408
15.13 Computer-Based Data Acquisition and Processing 409
References 409
Internet Resources 410
Review Questions 410
Practice Problems 411
Computer Application Assignments 411
- 16 Forces Due to Fluids in Motion 413**
The Big Picture 413
16.1 Objectives 414
16.2 Force Equation 415
16.3 Impulse–Momentum Equation 415
16.4 Problem-Solving Method Using the Force Equations 415
16.5 Forces on Stationary Objects 416
16.6 Forces on Bends in Pipelines 418
16.7 Forces on Moving Objects 421
Practice Problems 422
- 17 Drag and Lift 427**
The Big Picture 427
17.1 Objectives 429
17.2 Drag Force Equation 429
17.3 Pressure Drag 430
17.4 Drag Coefficient 430
17.5 Friction Drag on Spheres in Laminar Flow 433
17.6 Vehicle Drag 436
17.7 Compressibility Effects and Cavitation 438
17.8 Lift and Drag on Airfoils 438
References 440
Internet Resources 440
Practice Problems 441
- 18 Fans, Blowers, Compressors, and the Flow of Gases 444**
The Big Picture 444
18.1 Objectives 445
18.2 Gas Flow Rates and Pressures 445
18.3 Classification of Fans, Blowers, and Compressors 446
18.4 Flow of Compressed Air and Other Gases in Pipes 450
18.5 Flow of Air and Other Gases Through Nozzles 455
References 461
Internet Resources 461
Practice Problems 461
Computer Application Assignments 463
- 19 Flow of Air in Ducts 464**
The Big Picture 464
19.1 Objectives 466
19.2 Energy Losses in Ducts 466
19.3 Duct Design 471
19.4 Energy Efficiency and Practical Considerations in Duct Design 477
References 477
Internet Resources 478
Practice Problems 478
- Appendices 482**
Appendix A Properties of Water 482
Appendix B Properties of Common Liquids 484
Appendix C Typical Properties of Petroleum Lubricating Oils 486
Appendix D Variation of Viscosity with Temperature 487

| | | | | | |
|-------------------|---|-----|-------------------------------------|--|-----|
| Appendix E | Properties of Air | 490 | Appendix L | Properties of Areas | 505 |
| Appendix F | Dimensions of Steel Pipe | 494 | Appendix M | Properties of Solids | 507 |
| Appendix G | Dimensions of Steel, Copper, and Plastic Tubing | 496 | Appendix N | Gas Constant, Adiabatic Exponent, and Critical Pressure Ratio for Selected Gases | 509 |
| Appendix H | Dimensions of Type K Copper Tubing | 499 | Answers to Selected Problems | 510 | |
| Appendix I | Dimensions of Ductile Iron Pipe | 500 | Index | 519 | |
| Appendix J | Areas of Circles | 501 | | | |
| Appendix K | Conversion Factors | 503 | | | |

PREFACE

Applied Fluid Mechanics, 8th edition has been completely updated and revised to meet current industry standards. It is available in two general formats—print and eText. The print version is now available as an affordable rent-to-own option for students. Several options for low cost digital eTexts are also available as a subscription or ownership. For access to Pearson eText, visit Pearson.com/learner.

INTRODUCTION

The objective of *Applied Fluid Mechanics*, 8th edition is to present the principles of fluid mechanics and the application of these principles to practical, applied problems. The primary emphasis is on fluid properties; the measurement of pressure, density, viscosity, and flow; fluid statics; flow of fluids in pipes and noncircular conduits; pump selection and application; open-channel flow; forces developed by fluids in motion; the design and analysis of heating, ventilation, and air conditioning (HVAC) ducts; and the flow of air and other gases.

Applications are shown in the mechanical field, including industrial fluid distribution, fluid power, and HVAC; in the chemical field, including flow in materials processing systems; and in the civil and environmental fields as applied to water and wastewater systems, fluid storage and distribution systems, and open-channel flow. This book is directed to anyone in an engineering field where the ability to apply the principles of fluid mechanics is the primary goal.

Those using this book should understand algebra, trigonometry, and mechanics. After completing the book, students should have the ability to design and analyze practical fluid flow systems, and to continue learning in the field. Following this course students can take other applied courses, such as those on fluid power, HVAC, and civil hydraulics. This book can also be used to teach selected fluid mechanics topics within such courses.

APPROACH

As with previous editions, the approach used encourages students to become intimately involved in learning the principles of fluid mechanics at seven levels:

1. Understanding concepts.
2. Recognizing how the principles of fluid mechanics apply to their own experience.
3. Recognizing and implementing logical approaches to problem solutions.
4. Performing the analyses and calculations required in the solutions.
5. Critiquing the design of a given system and recommending improvements.
6. Designing practical, efficient fluid systems.
7. Using computer applications, both commercially available and self-developed, for design and analysis of fluid flow systems.

This multilevel approach has proven successful for several decades in building students' confidence in their ability to analyze and design fluid systems.

Concepts are presented in clear language and illustrated by reference to physical systems with which the reader should be familiar. An intuitive justification and mathematical basis are given for each concept. The methods of solution to many types of complex problems are presented in step-by-step procedures. The importance of recognizing the relationships among what is known, what is to be found, and the choice of a solution procedure is emphasized.

Many practical problems in fluid mechanics require relatively long solution procedures. It has been the authors' experience that students often have difficulty in carrying out the details of the solution. For this reason, each example problem is worked in complete detail, including the manipulation of units in equations. In the more complex examples, a programmed instruction format is used in which the student is asked to perform a small segment of the solution before being shown the correct result. The programs are of the linear type in which one panel presents a concept and then either poses a question or asks that a certain operation be performed. The following panel gives the correct result and the details of how it was obtained. The program then continues.

The International System of Units (Système International d'Unités, or SI) and the U.S. Customary System of units are used approximately equally. The SI notation in this book follows the guidelines set forth by the National Institute of Standards and Technology (NIST), U.S. Department of Commerce, in its 2019 publication *The International System of Units (SI)* (NIST Special Publication 330), edited by David B. Newell and Eite Tiesinga.

COMPUTER-ASSISTED PROBLEM SOLVING AND DESIGN

Computer-assisted approaches to solving fluid flow problems are recommended only after the student has demonstrated competence in solving problems manually. They allow more comprehensive problems to be analyzed and

give students tools for considering multiple design options while removing some of the burden of calculations. Also, many employers expect students to have not only the skill to use software, but the inclination to do so, and using software within the course effectively nurtures this skill. We recommend the following classroom learning policy.

Users of computer software must have solid understanding of the principles on which the software is based to ensure that analyses and design decisions are fundamentally sound. Software should be used only after mastering relevant analysis methods by careful study and using manual techniques.

Computer-based assignments are included at the end of many chapters. These can be solved by a variety of techniques such as:

- The use of a spreadsheet such as Microsoft® Excel
- The use of technical computing software
- The use of commercially available software for fluid flow analysis

Chapter 11, Series Pipeline Systems, and Chapter 13, Pump Selection and Application, include example Excel spreadsheet aids for solving fairly complex system design and analysis problems. In this edition, the spreadsheets are shown in color to assist instructors and students in recognizing the nature of input data and results.

Powerful, commercially available software: A feature introduced in the 7th edition of this book continues in this edition. PIPE-FLO® is a software package that is internationally renowned for piping system analysis and design. It is produced and marketed by PIPE-FLO, pipe-flo.com, in Lacey, Washington, and uses the same basic methodology presented in this text for analyzing pumped fluid flow systems. Students who fully understand the principles and manual problem-solving methods presented in this book will be well-prepared to apply them in industrial settings and they will also have learned the fundamentals of using PIPE-FLO® to perform the analyses of the kinds of fluid flow systems they will encounter in their careers. This skill should be an asset to students' career development.

The software can be obtained from PIPE-FLO at no cost. Instructors and students using this book can download the software and receive full installation support from ESI. The tools and techniques for building computer models of fluid flow systems are introduced carefully starting in Chapter 8 on energy losses due to friction in pipes and continuing through Chapter 13, covering minor losses, series pipeline systems, parallel and branching systems, and pump selection and application. As each new concept and problem-solving method is learned from this book, it is then applied to one or more example problems where students can develop their skills in creating and solving real problems. With each chapter, the kinds of systems that students will be able to complete expand in breadth and depth. Several supplemental problems using PIPE-FLO® are in the book so

students can extend and demonstrate their abilities in assignments, projects, or self-study. The integrated companion software, PUMP-FLO®, provides access to catalog data for numerous types and sizes of pumps that students can use in assignments and to become more familiar with that method of specifying pumps in their future positions.

Instructors should contact training@pipe-flo.com to obtain download links and license keys to allow for installation on either the institution's or students' machines.

Feedback from users of the 7th edition indicated that the inclusion of PIPE-FLO® in the book is highly valuable. Although some chose not to integrate this in their courses, they advise students that it is an important tool for use in their career when piping design, pump selection, and analysis of existing piping systems are encountered. With the analytical tools students learn from studying from this book, they should be able to implement PIPE-FLO® readily in their industry positions. Instructors who do use the software report that it is an enhancement of the course and it provides natural and seamless computer application. Both the software and the book use the same industry standard, Crane's TP410, as the analytical basis for computations. We encourage your use of the software within your coverage of Chapters 8 through 13 and that you advise students to retain this book as support when applying the software in an industry position. They should also be advised that there is a full commercial version available through ESI that has greatly increased capability. If your institution would like to run the full version with a site license for educational purposes, and avoid the need for individual downloads while also having access to the capabilities of the full version, simply contact ESI to set that up at no cost.

FEATURES OF THE EIGHTH EDITION

The eighth edition continues the pattern of earlier editions in refining the presentation of several topics, enhancing the visual attractiveness and usability of the book, updating data and analysis techniques, and adding selected new material. *The Big Picture* begins each chapter as in the preceding two editions, but each has been radically improved with one or more new, attractive photographs or illustrations, a refined *Exploration* section that gets students personally involved with the concepts presented in the chapter, and brief *Introductory Concepts* that preview the chapter discussions. Feedback from instructors and students about this feature has been very positive. The extensive appendixes continue to be useful learning and problem-solving tools.

HIGHLIGHTS OF CHANGES IN THIS EDITION:

- A large percentage of the illustrations have been upgraded in terms of realism, consistency, and graphic quality. Full color continues to enhance the appearance and effectiveness of illustrations, graphs, and the general layout

of the book. Many photographs of commercially available products have been updated and some new ones have been added.

- The end-of-chapter References provide extensive resources to both instructors and students. Industry standards and additional resources have been updated, revised, and extended.
- Internet resources have become important supplemental references that provide useful information such as commercially available products, additional data for problem solving and design, more in-depth coverage of certain topics, information about fluid mechanics software, and industry standards. These important resources have been updated and many have been added to those in previous editions.
- Use of SI metric units alongside U.S. Customary units has been continued throughout the book. Appendix tables that feature purely metric sizes for steel, copper, and plastic tubing are included. Use of the metric DN-designations for standard Schedules 40 and 80 steel pipes are integrated into the discussions, example problems, and end-of-chapter problems. Almost all metric-based problems use these tables for pipe or tubing designations, dimensions, and flow areas. This should give students strong foundations on which to build a career in the global industrial scene in which they will pursue their careers.
- Many creative supplemental problems are included at the end of the Problems section in several chapters to enhance student learning and to provide more variety for instructors in planning their courses.
- Graphical tools for selecting pipe sizes are included in Chapter 6 and used in later chapters and design projects.
- The discussion of computational fluid mechanics is included in Chapter 9 with attractive graphics that are highly relevant to the study of pipe flow.
- The use of K -factors (resistance coefficients), based on the equivalent-length approach, continues according to the latest version of the *Crane Technical Paper 410* (TP 410).
- Use of the flow coefficient C_V for evaluating the relationship between flow rate and pressure drop across valves continues in Chapter 10 with equations for use with both U.S. and SI metric units. It is also included in parts of Chapter 13 that emphasize the use of valves as control elements.
- The section, General Principles of Pipeline System Design, continues to be a useful feature in Chapter 11.
- Several sections in Chapter 13 on pump selection and application provide in-depth coverage that is consistent with TP 410, the development of relevant topics, and use of the PIPE-FLO® software.

AUTHORS OF THIS BOOK— PROFESSORS ROBERT L. MOTT AND JOSEPH A. UNTENER

We are pleased that the eighth edition of *Applied Fluid Mechanics* continues to be authored by **Robert L. Mott** and **Joseph A. Untener**, working as a team.

Professor Mott is the original author of this book, with its first edition appearing in 1970. He was the sole author of the first six editions before inviting Professor Untener to be the co-author of the 7th edition. Bob has significant industry experience along with work through the University of Dayton Research Institute, industrial consulting, and accident reconstruction and analysis. He served in the University of Dayton School of Engineering on the faculty of the Department of Engineering Technology for 35 years prior to retirement. He served as department chair and associate dean. In addition to this book, he is the author of *Machine Elements in Mechanical Design*, and *Applied Strength of Materials*, both of which are in the 6th editions. He was the sole author of the first five editions and took on coauthors for the 6th editions.

Professor Untener has been a faculty member in the Department of Engineering Technology at the University of Dayton since 1987 when he was hired by Professor Mott. Joe's first course taught at UD was Fluid Mechanics, using the 2nd edition of this book, and he continues to include this course in his schedule. Joe is a registered Professional Engineer with a strong background working in industry. He is a respected instructor who focuses on pedagogy and student learning. He brings fresh ideas and a keen sense of methodology and style to the partnership that will continue to develop this textbook into the future. His contributions, including the integration of software and updating the graphics, will continue to be of great value to users of this book, both students and instructors.

ONLINE RESOURCES AVAILABLE TO INSTRUCTORS FROM THE PEARSON INSTRUCTOR RESOURCE CENTER

As an instructor, please take advantage of all of the online resources that accompany this text. Instructors have access to a complete Solutions Manual with clear and detailed step-by-step solutions, including units, for each problem in the text. An entire Image Bank with all figures shown in the text is also available to instructors. Given the graphical nature of fluid systems, we encourage instructors to download this image bank for use in developing course aids such as presentations and test items throughout the entire academic term. In addition, a set of presentation slides for the entire book is available to all instructors in PowerPoint format. To access supplementary materials online, instructors need to request, with proper credentials, an instructor access code. Go to www.pearsonhighered.com/irc to login or register for an instructor access code.

ACKNOWLEDGMENTS

We would like to thank all who helped and encouraged us in the writing of this book, including users of earlier editions and the several reviewers who provided detailed suggestions: William E. Cole, Northeastern University; Gary Crossman, Old Dominion University; Charles Drake, Ferris State University; Mark S. Frisina, Wentworth Institute of Technology; Dr. Roy A. Hartman, P. E., Texas A & M University; Dr. Greg E. Maksi, State Technical Institute at Memphis; Ali Ogut, Rochester Institute of Technology; Paul Ricketts, New Mexico State University; Mohammad E. Taslim, Northeastern University at Boston; Pao-lien Wang, University of North Carolina at Charlotte; and Steve Wells, Old Dominion University. Special thanks go to our colleagues of the University of Dayton, the late Jesse Wilder, David Myszka, and Rebecca Blust, who used earlier editions of

this book in class and offered helpful suggestions. Robert Wolff, also of the University of Dayton, has provided much help in the use of the SI system of units, based on his long experience in metrication through the American Society for Engineering Education. Professor Wolff also consulted on fluid power applications. We thank all those from PIPE-FLO for their cooperation and assistance in incorporating the PIPE-FLO® software into this book, particularly Joe Benefield. We are grateful for the expert professional and personal service provided by the editorial and marketing staff of Pearson Education. Comments from students who used the book are also appreciated because the book was written for them.

Robert L. Mott and Joseph A. Untener

REVIEWERS

Michael Costarell
Youngstown State University

Ali Mehrabian
Daytona State College

Russ Marcks
Sinclair Community College

Subha Kumpaty
Milwaukee School of Engineering

Mark Hapstack
Greenville Technical College

This page intentionally left blank

THE NATURE OF FLUIDS AND THE STUDY OF FLUID MECHANICS

THE BIG PICTURE

As you begin the study of fluid mechanics, let's look at some fundamental concepts and look ahead to the major topics that you will study in this book. Try to identify where you have encountered either stationary or moving, pressurized fluids in your daily life. Consider the water system in your home, hotels, or commercial buildings. Think about how your car's fuel travels from the tank to the engine or how the cooling water flows through the engine and its cooling system. When enjoying time in an amusement park, consider how fluids are handled in water slides or boat rides. Look carefully at construction equipment to observe how pressurized fluids are used to actuate moving parts and to drive the machines. Visit manufacturing operations where automation equipment, material handling devices, and production machinery utilize pressurized fluids.

Consider fluid systems that we don't often think about but are present in our daily lives. There are many piping arrangements similar to the one shown in Fig. 1.1 that are transferring fluids through various components that we might not even notice. When you walk into the building for your fluid mechanics course, for example, you simply expect it to be the right temperature, but that typically requires pumped fluids. You would expect to be able to get a drink or go to the restroom on the way to class. You would imagine that if a fire began, there would be emergency

systems in place to provide fire suppression. Complex piping systems that use pumps to transfer fluids are required to drive all of these systems and many more.

Listed here are several of the major concepts you will study in this book:

- *Fluid mechanics* is the study of the behavior of fluids, either at rest (fluid statics) or in motion (fluid dynamics).
- Fluids can be either *liquids* or *gases*, and they can be characterized by their physical properties such as density, specific weight, specific gravity, surface tension, and viscosity.
- Quantitatively analyzing fluid systems requires careful use of units for all terms. Both the SI metric system of units and the U.S. gravitational system are used in this book. Careful distinction between weight and mass is also essential.
- Fluid statics concepts that you will learn include the measurement of pressure, forces exerted on surfaces due to fluid pressure, buoyancy, and stability of floating bodies.
- Learning how to analyze the behavior of fluids as they flow through circular pipes and tubes and through conduits with other shapes is important.

FIGURE 1.1 Complex industrial and commercial fluid piping systems, often unnoticed but critical in our daily lives, require careful design and analysis. The system shown here is required to maintain comfortable temperatures in a commercial building. (Source: Tinnarat Suwanna/123RF)



- We will consider the energy possessed by the fluid because of its velocity, elevation, and pressure.
- Accounting for energy losses, additions, or purposeful removals that occur as the fluid flows through the components of a fluid flow system enables you to analyze the performance of the system.
- A flowing fluid loses energy due to friction as it moves along a conduit and as it encounters obstructions (like in a control valve) or changes its direction (like in a pipe elbow).
- Energy can be added to a flowing fluid by pumps that create flow and increase the fluid's pressure.
- Energy can be purposely removed by using it to drive a fluid motor, a turbine, or a hydraulic actuator.
- Measurements of fluid pressure, temperature, and the fluid flow rate in a system are critical to understanding its performance.

Exploration

Now let's consider a variety of systems that use fluids and that illustrate some of the applications of concepts learned from this book. As you read this section, consider such factors as:

- The basic function or purpose of the system
 - The kind of fluid or fluids that are in the system
 - The kinds of containers for the fluid or the conduits through which it flows
 - If the fluid flows, what causes the flow to occur? Describe the flow path.
 - What components of the system resist the flow of the fluid?
 - What characteristics of the fluid are important to the proper performance of the system?
1. In your home, you use water for many different purposes such as drinking, cooking, bathing, cleaning, and watering lawns and plants. Water also eliminates wastes from the home through sinks, drains, and toilets. Rain water, melting snow, and water in the ground must be managed to conduct it away from the home using gutters, downspouts, ditches, and sump pumps. Consider how the water is delivered to your home. What is the ultimate source of the water—a river, a reservoir, or natural groundwater? Is the water stored in tanks at some points in the process of getting it to your home? Notice that the water system needs to be at a fairly high pressure to be effective for its uses and to flow reliably through the system. How is that pressure created? Are there pumps in the system? Describe their function and how they operate. From where does each pump draw the water? To what places is the water delivered? What quantities of fluid are needed at the delivery points? What




FIGURE 1.2 Typical piping system for fluid power.

pressures are required? How is the flow of water controlled? What materials are used for the pipes, tubes, tanks, and other containers or conduits? As you study Chapters 6–13, you will learn how to analyze and design systems in which the water flows in a pipe or a tube. Chapter 14 discusses the cases of open-channel flow such as that in the gutters that catch the rain from the roof of your home.

2. In your car, describe the system that stores gasoline and then delivers it to the car's engine. How is the windshield washer fluid managed? How does the coolant move from the engine to the radiator? Describe what happens when you apply the brakes, particularly as it relates to the hydraulic fluid in the braking system. The concepts in Chapters 6–13 will help you to describe and analyze these kinds of systems.
3. Consider the performance of an automated manufacturing system that is actuated by fluid power systems such as the one shown in Fig. 1.2. Describe the fluids, pumps, tubes, valves, and other components of the system. What is the function of the system? How does the fluid accomplish that function? How is energy introduced to the system and how is it dissipated away from the system?
4. Consider the kinds of objects that must float in fluids such as boats, jet skis, rafts, barges, and buoys. Why do they float? In what position or orientation do they float? Why do they maintain their orientation? The principles of buoyancy and stability are discussed in Chapter 5.
5. What examples can you think of where fluids at rest or in motion exert forces on an object? Any vessel containing a fluid under pressure should yield examples. Consider a swimming pool, a hydraulic cylinder, a dam or a retaining wall holding a fluid, a high-pressure washer system, a fire hose, wind during a tornado or a hurricane, and water flowing through a turbine to generate power. What other examples can you think of? Chapters 4, 16, and 17 discuss these cases.

6. Think of the many situations in which it is important to measure the flow rate of fluid in a system or the total quantity of fluid delivered. Consider measuring the gasoline that goes into your car so you can pay for just what you get. The water company wants to know how much water you use in a

given month. Fluids often must be metered carefully into production processes in a factory. Liquid medicines and oxygen delivered to a patient in a hospital must be measured continuously for patient safety. Chapter 15 covers flow measurement.

There are many ways in which fluids affect your life. Completion of a fluid mechanics course using this book will help you understand how those fluids can be controlled. Studying this book will help you learn how to design and analyze fluid systems to determine the kind of components that should be used and their size.

1.1 LEARNING OBJECTIVES

After completing this chapter, you should be able to:

1. Differentiate between a gas and a liquid.
2. Define *pressure*.
3. Identify the units for the basic quantities of time, length, force, mass, and temperature in the SI metric unit system and in the U.S. Customary unit system.
4. Properly set up equations to ensure consistency of units.
5. Define the relationship between force and mass.
6. Define *density*, *specific weight*, and *specific gravity* and the relationships among them.
7. Define *surface tension*.

1.2 BASIC INTRODUCTORY CONCEPTS

- **Pressure** Pressure is defined as the amount of force exerted on a unit area of a substance or on a surface. This can be stated by the equation

$$p = \frac{F}{A} \quad (1-1)$$

Fluids are subjected to large variations in pressure depending on the type of system in which they are used. Milk sitting in a glass is at the same pressure as the air above it. Water in the piping system in your home has a pressure somewhat greater than atmospheric pressure so that it will flow rapidly from a faucet. Oil in a fluid power system is typically maintained at high pressure to enable it to exert large forces to actuate construction equipment or automation devices in a factory. Gases such as oxygen, nitrogen, and helium are often stored in strong cylinders or spherical tanks under high pressure to permit rather large amounts to be held in a relatively small volume. Compressed air is often used in service stations and manufacturing facilities to operate tools or to inflate tires. More discussion about pressure is given in Chapter 3.

- **Liquids and Gases** Fluids can be either liquids or gases. When a liquid is held in a container, it tends to take the shape of the container, covering the bottom and the sides. The top surface, in contact with the atmosphere

above it, maintains a uniform level. As the container is tipped, the liquid tends to pour out.

When a gas is held under pressure in a closed container, it tends to expand and completely fill the container. If the container is opened, the gas tends to expand more and escape from the container.

While gases and liquids are similar in their ability to flow and fill containers, there is a key difference that is important in the study of fluid mechanics. Consider what happens to a liquid or a gas as the pressure on it is increased. If air, a gas, is trapped in a cylinder with a tight-fitting, movable piston inside it, you could compress the air fairly easily by pushing on the piston. In other words, if you push on the piston, the piston would move substantially because the volume of air changes with the change in pressure. If, on the other hand, a liquid such as water is in the cylinder, pushing on the piston would not result in any perceptible change in volume. In other words, the piston would not move noticeably because you could not compress the liquid in the same way as the gas. You could apply a large force, which would increase the pressure in the water, but the volume of the water would change very little. This observation leads to the following general descriptions of liquids and gases that we will use in this book:

1. Gases are readily compressible.
2. Liquids are only slightly compressible.

More discussion on compressibility is given later in this chapter. We will deal mostly with liquids in this book.

- **Weight and Mass** An understanding of fluid properties requires a careful distinction between *mass* and *weight*. The following definitions apply:

Mass is the property of a body of fluid that is a measure of its inertia or resistance to a change in motion. It is also a measure of the quantity of fluid.

We use the symbol m for mass in this book.

Weight is the amount that a body of fluid weighs, that is, the force with which the fluid is attracted toward Earth by gravitation.

We use the symbol w for weight.

The relationship between weight and mass is discussed in Section 1.5 as we review the unit systems used in this book. You must be familiar with both the International System of Units, called *SI*, and the U.S. Customary System of units.

- **Fluid Properties** The latter part of this chapter presents other fluid properties: *specific weight*, *density*, *specific gravity*, and *surface tension*. Chapter 2 presents an additional property, *viscosity*, which is a measure of the ease with which a fluid flows. It is also important in determining the character of the flow of fluids and the amount of energy that is lost from a fluid flowing in a system as discussed in Chapters 8–13.
- **Quantifying Physical Phenomena** Technical systems require accurate accounting of properties and behaviors of physical phenomena. For many students, the course in fluid mechanics brings a new level of complexity with regard to tracking physical phenomena in equations, and greater care needs to be taken. Students should track units explicitly, using something like the unit cancellation method shown in Section 1.7, to ensure that the dimensions of all entities are appropriate. Taking care with regard to units will ensure that pressure and force are kept separate, for example, and that specific gravity will not be confused with specific weight. Explicit and careful use of units in all calculations will aid in understanding and will greatly increase student success.

1.3 THE INTERNATIONAL SYSTEM OF UNITS (SI)

In any technical work the units in which physical properties are measured must be stated. A system of units specifies the units of the basic quantities of length, time, force, and mass. The units of other terms are then derived from these.

The ultimate reference for the standard use of metric units throughout the world is the International System of Units (Système International d'Unités), abbreviated as SI. In the United States, the standard is given in the 2008 publication of the National Institute of Standards and Technology (NIST), U.S. Department of Commerce, *The International System of Units (SI)* (NIST Special Publication 330), edited by Barry N. Taylor and Ambler Thompson (see Reference 1). This is the standard used in this book.

The SI units for the basic quantities are as follows:

$$\begin{aligned} \text{length} &= \text{meter (m)} \\ \text{time} &= \text{second (s)} \\ \text{mass} &= \text{kilogram (kg) or } \text{N} \cdot \text{s}^2/\text{m} \\ \text{force} &= \text{newton (N) or } \text{kg} \cdot \text{m/s}^2 \end{aligned}$$

An equivalent unit for force is $\text{kg} \cdot \text{m/s}^2$ as indicated above. This is derived from the relationship between force and mass,

$$F = ma$$

TABLE 1.1 SI unit prefixes

| Prefix | SI Symbol | Factor |
|--------|-----------|-----------------------------------|
| terra | T | $10^{12} = 1\,000\,000\,000\,000$ |
| giga | G | $10^9 = 1\,000\,000\,000$ |
| mega | M | $10^6 = 1\,000\,000$ |
| kilo | k | $10^3 = 1\,000$ |
| milli | m | $10^{-3} = 0.001$ |
| micro | μ | $10^{-6} = 0.000\,001$ |
| nano | n | $10^{-9} = 0.000\,000\,001$ |
| pico | p | $10^{-12} = 0.000\,000\,000\,001$ |

where a is the acceleration expressed in units of m/s^2 . Therefore, the derived unit for force is

$$F = ma = \text{kg} \cdot \text{m/s}^2 = \text{N}$$

Thus, a force of 1.0 N would give a mass of 1.0 kg an acceleration of 1.0 m/s^2 . This means that either N or $\text{kg} \cdot \text{m/s}^2$ can be used as the unit for force. In fact, some calculations in this book require that you be able to use both or to convert from one to the other.

Similarly, besides using the kg as the standard unit mass, we can use the equivalent unit $\text{N} \cdot \text{s}^2/\text{m}$. This can be derived again from $F = ma$:

$$m = \frac{F}{a} = \frac{\text{N}}{\text{m/s}^2} = \frac{\text{N} \cdot \text{s}^2}{\text{m}}$$

Therefore, either kg or $\text{N} \cdot \text{s}^2/\text{m}$ can be used for the unit of mass.

1.3.1 SI Unit Prefixes

Because the actual size of physical quantities in the study of fluid mechanics covers a wide range, prefixes are added to the basic quantities. Table 1.1 shows these prefixes. Standard usage in the SI system calls for only those prefixes varying in steps of 10^3 as shown. Results of calculations should normally be adjusted so that the number is between 0.1 and 10 000 times some multiple of 10^3 *. Then the proper unit with a prefix can be specified. Note that some technical professionals and companies in Europe often use the prefix *centi*, as in centimeters, indicating a factor of 10^{-2} . Some examples follow showing how quantities are given in this book.

* Because commas are used as decimal markers in many countries, we will not use commas to separate groups of digits. We will separate the digits into groups of three, counting both to the left and to the right from the decimal point, and use a space to separate the groups of three digits. We will not use a space if there are only four digits to the left or right of the decimal point unless required in tabular matter.

| Computed Result | Reported Result |
|-----------------|---|
| 0.004 23 m | 4.23×10^{-3} m, or 4.23 mm (millimeters) |
| 15 700 kg | 15.7×10^3 kg, or 15.7 Mg (megagrams) |
| 86 330 N | 86.33×10^3 N, or 86.33 kN (kilonewtons) |

1.4 THE U.S. CUSTOMARY SYSTEM

The SI convention discussed above is the most common throughout the world. The United States, however, continues to use a different system for much of its industry. Sometimes called the *English gravitational unit system* or the *pound-foot-second* system, the U.S. Customary System defines the basic quantities as follows:

$$\begin{aligned} \text{length} &= \text{foot (ft)} \\ \text{time} &= \text{second (s)} \\ \text{force} &= \text{pound (lb)} \\ \text{mass} &= \text{slug or lb}\cdot\text{s}^2/\text{ft} \end{aligned}$$

Probably the most difficult of these units to understand is the slug because we are more familiar with measuring in terms of pounds, seconds, and feet. It may help to note the relationship between force and mass,

$$F = ma$$

where a is acceleration expressed in units of ft/s^2 . Therefore, the derived unit for mass is

$$m = \frac{F}{a} = \frac{\text{lb}}{\text{ft}/\text{s}^2} = \frac{\text{lb}\cdot\text{s}^2}{\text{ft}} = \text{slug}$$

This means that you may use either slugs or $\text{lb}\cdot\text{s}^2/\text{ft}$ for the unit of mass. In fact, some calculations in this book require that you be able to use both or to convert from one to the other.

1.5 WEIGHT AND MASS

A rigid distinction is made between weight and mass in this book. Weight is a force and mass is the quantity of a substance. We relate these two terms by applying Newton's law of gravitation stated as *force equals mass times acceleration*, or

$$F = ma$$

When we speak of weight w , we imply that the acceleration is equal to g , the acceleration due to gravity. Then Newton's law becomes

⇨ Weight–mass relationship

$$w = mg \quad (1-2)$$

In this book, we will use $g = 9.81 \text{ m/s}^2$ in the SI system and $g = 32.2 \text{ ft/s}^2$ in the U.S. Customary System. These are the standard values on Earth for g to three significant digits. To a greater degree of precision, we have the standard

values $g = 9.806 65 \text{ m/s}^2$ and $g = 32.1740 \text{ ft/s}^2$. For high-precision work and at high elevations (such as aerospace operations) where the actual value of g is different from the standard, the local value should be used.

1.5.1 Weight and Mass in the SI Unit System

For example, consider a rock with a mass of 5.60 kg suspended by a wire. To determine what force is exerted on the wire, we use Newton's law of gravitation ($w = mg$):

$$w = mg = \text{mass} \times \text{acceleration due to gravity}$$

Under standard conditions, however, $g = 9.81 \text{ m/s}^2$. Then, we have

$$w = 5.60 \text{ kg} \times 9.81 \text{ m/s}^2 = 54.9 \text{ kg} \cdot \text{m/s}^2 = 54.9 \text{ N}$$

Thus, a 5.60 kg rock weighs 54.9 N.

We can also compute the mass of an object if we know its weight. For example, assume that we have measured the weight of a valve to be 8.25 N. What is its mass? We write

$$\begin{aligned} w &= mg \\ m &= \frac{w}{g} = \frac{8.25 \text{ N}}{9.81 \text{ m/s}^2} = \frac{0.841 \text{ N} \cdot \text{s}^2}{\text{m}} = 0.841 \text{ kg} \end{aligned}$$

1.5.2 Weight and Mass in the U.S. Customary Unit System

For an example of the weight–mass relationship in the U.S. Customary System, assume that we have measured the weight of a container of oil to be 84.6 lb. What is its mass? We write

$$\begin{aligned} w &= mg \\ m &= w/g = 84.6 \text{ lb}/32.2 \text{ ft/s}^2 = 2.63 \text{ lb}\cdot\text{s}^2/\text{ft} = 2.63 \text{ slugs} \end{aligned}$$

1.5.3 Mass Expressed as lbm (Pounds-Mass)

In the analysis of fluid systems, some professionals use the unit lbm (pounds-mass) for the unit of mass instead of the unit of slugs. In this system, an object or a quantity of fluid having a weight of 1.0 lb has a mass of 1.0 lbm. The pound-force is then sometimes designated lbf. It must be noted that the numerical equivalence of lbf and lbm applies *only* when the value of g is equal to the standard value.

This system is avoided in this book because it is not a coherent system. When one tries to relate force and mass units using Newton's law, one obtains

$$F = ma = \text{lbm}(\text{ft}/\text{s}^2) = \text{lbm}\cdot\text{ft}/\text{s}^2$$

This is *not* the same as the lbf.

To overcome this difficulty, a conversion constant, commonly called g_c , is defined having both a numerical value and units. That is,

$$g_c = \frac{32.2 \text{ lbm}}{\text{lbf}/(\text{ft}/\text{s}^2)} = \frac{32.2 \text{ lbm}\cdot\text{ft}/\text{s}^2}{\text{lbf}}$$

Then, to convert from lbm to lbf, we use a modified form of Newton's law:

$$F = m(a/g_c)$$

Letting the acceleration $a = g$, we find

$$F = m(g/g_c)$$

For example, to determine the weight of material in lbf that has a mass of 100 lbm, and assuming that the local value of g is equal to the standard value of 32.2 ft/s^2 , we have

$$w = F = m \frac{g}{g_c} = 100 \text{ lbm} \frac{32.2 \text{ ft/s}^2}{32.2 \text{ lbm-ft/s}^2} = 100 \text{ lbf}$$

This shows that weight in lbf is numerically equal to mass in lbm *provided* $g = 32.2 \text{ ft/s}^2$.

If the analysis were to be done for an object or fluid on the Moon, however, where g is approximately 1/6 of that on Earth, 5.4 ft/s^2 , we would find

$$w = F = m \frac{g}{g_c} = 100 \text{ lbm} \frac{5.4 \text{ ft/s}^2}{32.2 \text{ lbm-ft/s}^2} = 16.8 \text{ lbf}$$

This is a dramatic difference.

In summary, because of the cumbersome nature of the relationship between lbm and lbf, we avoid the use of lbm in this book. Mass will be expressed in the unit of slugs when problems are in the U.S. Customary System of units.

1.6 TEMPERATURE

Temperature is most often indicated in $^{\circ}\text{C}$ (degrees Celsius) or $^{\circ}\text{F}$ (degrees Fahrenheit). You are probably familiar with the following values at sea level on Earth:

Water freezes at 0°C and boils at 100°C .

Water freezes at 32°F and boils at 212°F .

Thus, there are 100 Celsius degrees and 180 Fahrenheit degrees between the same two physical data points, and 1.0 Celsius degree equals 1.8 Fahrenheit degrees exactly. From these observations we can define the conversion procedures between these two systems as follows:

Given the temperature T_F in $^{\circ}\text{F}$, the temperature T_C in $^{\circ}\text{C}$ is

$$T_C = (T_F - 32)/1.8$$

Given the temperature T_C in $^{\circ}\text{C}$, the temperature T_F in $^{\circ}\text{F}$ is

$$T_F = 1.8T_C + 32$$

For example, given $T_F = 180^{\circ}\text{F}$, we have

$$T_C = (T_F - 32)/1.8 = (180 - 32)/1.8 = 82.2^{\circ}\text{C}$$

Given $T_C = 33^{\circ}\text{C}$, we have

$$T_F = 1.8T_C + 32 = 1.8(33) + 32 = 91.4^{\circ}\text{F}$$

In this book we will use the Celsius scale when problems are in SI units and the Fahrenheit scale when they are in U.S. Customary units.

1.6.1 Absolute Temperature

The Celsius and Fahrenheit temperature scales were defined according to arbitrary reference points, although the Celsius scale has convenient points of reference to the properties of water. The absolute temperature, on the other hand, is defined so the zero point corresponds to the condition where all molecular motion stops. This is called *absolute zero*.

In the SI unit system, the standard unit of temperature is the kelvin, for which the standard symbol is K and the reference (zero) point is absolute zero. Note that there is no degree symbol attached to the symbol K. The interval between points on the kelvin scale is the same as the interval used for the Celsius scale. Measurements have shown that the freezing point of water is 273.15 K above absolute zero. We can then make the conversion from the Celsius to the kelvin scale by using

$$T_K = T_C + 273.15$$

For example, given $T_C = 33^{\circ}\text{C}$, we have

$$T_K = T_C + 273.15 = 33 + 273.15 = 306.15 \text{ K}$$

It has also been shown that absolute zero on the Fahrenheit scale is at -459.67°F . In some references you will find another absolute temperature scale called the Rankine scale, where the interval is the same as for the Fahrenheit scale. Absolute zero is 0°R and any Fahrenheit measurement can be converted to $^{\circ}\text{R}$ by using

$$T_R = T_F + 459.67$$

Also, given the temperature in $^{\circ}\text{F}$, we can compute the absolute temperature in K from

$$T_K = (T_F + 459.67)/1.8 = T_R/1.8$$

For example, given $T_F = 180^{\circ}\text{F}$, the absolute temperature in K is

$$\begin{aligned} T_K &= (T_F + 459.67)/1.8 = (180 + 459.67)/1.8 \\ &= (639.67^{\circ}\text{R})/1.8 = 355.37 \text{ K} \end{aligned}$$

1.7 CONSISTENT UNITS IN AN EQUATION

The analyses required in fluid mechanics involve the algebraic manipulation of several terms. The equations are often complex, and it is extremely important that the results be dimensionally correct. That is, they must have their proper units. Indeed, answers will have the wrong numerical value if the units in the equation are not consistent. Table 1.2 summarizes standard and other common units for the quantities used in fluid mechanics.

A simple straightforward procedure called *unit cancellation* will ensure proper units in any kind of calculation, not only in fluid mechanics but also in virtually all your technical work. The six steps of the procedure are listed subsequently.

TABLE 1.2 Units for common quantities used in fluid mechanics in SI units and U.S. Customary units

| Quantity | Basic Definition | Standard SI Units | Other Metric Units Often Used | Standard U.S. Units | Other U.S. Units Often Used |
|---------------------------------|---------------------------|--|---|--------------------------------------|--|
| Length (L) | — | meter (m) | millimeter (mm); kilometer (km) | foot (ft) | inch (in); mile (mi) |
| Time | — | second (s) | hour (h); minute (min) | second (s) | hour (h); minute (min) |
| Mass (m) | Quantity of a substance | kilogram (kg) | $\text{N} \cdot \text{s}^2/\text{m}$ | slug | $\text{lb} \cdot \text{s}^2/\text{ft}$ |
| Force (F) or weight (w) | Push or pull on an object | newton (N) | $\text{kg} \cdot \text{m}/\text{s}^2$ | pound (lb) | kip (1000 lb) |
| Pressure (p) | Force/area | N/m^2 or pascal (Pa) | kilopascals (kPa); bar | lb/ft^2 or psf | lb/in^2 or psi; kip/ in^2 or ksi |
| Energy | Force times distance | $\text{N} \cdot \text{m}$ or Joule (J) | $\text{kg} \cdot \text{m}^2/\text{s}^2$ | $\text{lb} \cdot \text{ft}$ | $\text{lb} \cdot \text{in}$ |
| Power (P) | Energy/time | watt (W) or $\text{N} \cdot \text{m}/\text{s}$ or J/s | kilowatt (kW) | $\text{lb} \cdot \text{ft}/\text{s}$ | horsepower (hp) |
| Volume (V) | L^3 | m^3 | liter (L) | ft^3 | gallon (gal) |
| Area (A) | L^2 | m^2 | mm^2 | ft^2 | in^2 |
| Volume flow rate (Q) | V/time | m^3/s | L/s; L/min; m^3/h | ft^3/s or cfs | gal/min (gpm); ft^3/min (cfm) |
| Weight flow rate (W) | w/time | N/s | kN/s; kN/min | lb/s | lb/min; lb/h |
| Mass flow rate (M) | m/time | kg/s | kg/h | slugs/s | slugs/min; slugs/h |
| Specific weight (γ) | w/V | N/m^3 or $\text{kg}/\text{m}^2 \cdot \text{s}^2$ | | lb/ft^3 | |
| Density (ρ) | m/V | kg/m^3 or $\text{N} \cdot \text{s}^2/\text{m}^4$ | | slugs/ ft^3 | |

Unit-Cancellation Procedure

1. Solve the equation algebraically for the desired term.
2. Decide on the proper units for the result.
3. Substitute known values, including units.
4. Cancel units that appear in both the numerator and the denominator of any term.
5. Use conversion factors to eliminate unwanted units and obtain the proper units as decided in Step 2.
6. Perform the calculation.

This procedure, properly executed, will work for any equation. It is really very simple, but some practice may be required to use it. We are going to borrow some material from elementary physics, with which you should be familiar, to illustrate the method. However, the best way to learn how to do something is to do it. The following example problems

are presented in a form called *programmed instruction*. You will be guided through the problems in a step-by-step fashion with your participation required at each step.

To proceed with the program, you should cover all material under the heading Programmed Example Problem, using an opaque sheet of paper or a card. You should have a blank piece of paper handy on which to perform the requested operations. Then successively uncover one panel at a time down to the heavy line that runs across the page. The first panel presents a problem and asks you to perform some operation or to answer a question. After doing what is asked, uncover the next panel, which will contain information that you can use to check your result. Then continue with the next panel, and so on through the program.

Remember, the purpose of this is to help you learn how to get correct answers using the unit-cancellation method. You may want to refer to the table of conversion factors in Appendix K.

PROGRAMMED EXAMPLE PROBLEM**Example Problem 1.1**

Imagine you are traveling in a car at a constant speed of 80 kilometers per hour (km/h). How many seconds (s) would it take to travel 1.5 km?

For the solution, use the equation

$$s = vt$$

where s is the distance traveled, v is the speed, and t is the time. Using the unit-cancellation procedure outlined above, what is the first thing to do?

The first step is to solve for the desired term. Because you were asked to find time, you should have written

$$t = \frac{s}{v}$$

Now perform Step 2 of the procedure described above.

Step 2 is to decide on the proper units for the result, in this case time. From the problem statement the proper unit is seconds. If no specification had been given for units, you could choose any acceptable time unit such as hours.

Proceed to Step 3.

The result should look something like this:

$$t = \frac{s}{v} = \frac{1.5 \text{ km}}{80 \text{ km/h}}$$

For the purpose of cancellation, it is not convenient to have the units in the form of a compound fraction as we have above. To clear this to a simple fraction, write it in the form

$$t = \frac{\frac{1.5 \text{ km}}{1}}{\frac{80 \text{ km}}{\text{h}}}$$

This can be reduced to

$$t = \frac{1.5 \text{ km} \cdot \text{h}}{80 \text{ km}}$$

After some practice, equations may be written in this form directly. Now perform Step 4 of the procedure.

The result should now look like this:

$$t = \frac{1.5 \text{ km} \cdot \text{h}}{80 \text{ km}}$$

This illustrates that units can be cancelled just as numbers can if they appear in both the numerator and the denominator of a term in an equation.

Now do Step 5.

The answer looks like this:

$$t = \frac{1.5 \text{ km} \cdot \text{h}}{80 \text{ km}} \times \frac{3600 \text{ s}}{1 \text{ h}}$$

The equation in the preceding panel showed the result for time in hours after kilometer units were cancelled. Although hours is an acceptable time unit, our desired unit is seconds as determined in Step 2. Thus, the conversion factor 3600 s/1 h is required.

How did we know we have to multiply by 3600 instead of dividing?

The units determine this. Our objective in using the conversion factor was to eliminate the hour unit and obtain the second unit. Because the unwanted hour unit was in the numerator of the original equation, the hour unit in the conversion factor must be in the denominator in order to cancel.

Now that we have the time unit of seconds, we can proceed with Step 6.

The correct answer is $t = 67.5 \text{ s}$.

1.8 THE DEFINITION OF PRESSURE

Pressure is defined as the amount of force exerted on a unit area of a substance. This can be stated by the equation

▢ **Pressure**

$$p = \frac{F}{A} \quad (1-3)$$

Two important principles about pressure were described by Blaise Pascal, a seventeenth-century scientist:

- Pressure acts uniformly in all directions on a small volume of a fluid.
- In a fluid confined by solid boundaries, pressure acts perpendicular to the boundary.

These principles, sometimes called *Pascal's laws*, are illustrated in Figs. 1.3 and 1.4.

Using Eq. (1-3) and the second of Pascal's laws, we can compute the magnitude of the pressure in a fluid if we know the amount of force exerted on a given area.

FIGURE 1.3 Pressure acting uniformly in all directions on a small volume of fluid.




FIGURE 1.4 Direction of fluid pressure on boundaries.

